

81 - 30-039-07855
454 - 30-039-24234

3483

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC. Location: Unit A Sec. 17 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #81, #454

cps 2057w

Elevation 6293' Completion Date 4/20/83 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 680 lbs.

Depths anodes placed: 80', 74', 68', 62', 56'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED

MAY 31 1994

OIL CON. DIV.
DIST. 3


WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

SS 30-lb Unit # 81,454 DATE 20 April 1963
WELL NAME McPherson No 2 CPS NO. 780W 207
LOCATION NE⁴ Sec. 17 T30NR6W
WORK ORDER NUMBER 184-40542-50-02
ANODE HOLE DEPTH 100'
TOTAL DRILLING RIG TIME 2 Hrs.
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock - W.M. 1539X
NUMBER SACKS MUD USED 0
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 80, #2 74, #3 68, #4 62 #5 56
TOTAL LBS. COKE USED 680 lbs. (8 sacks)
ANODE OUTPUTS 12.2 VOLTS, #1 4.2, #2 4.0, #3 4.1, #4 3.6 #5 4.0
TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 8.7 OHMS 1.35
NUMBER FEET SURFACE CABLE ~~CONDUCT~~ 460'
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static c/s .73 600 EAST
Good All Rectifier 20V 12A
Ser. No. 62C 6259
TAG. NO. 180W

ALL CONSTRUCTION COMPLETED

Forrester
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

6293

MC PHERSON No 2

LEASE 5617 730N R-60WELL NO

CONTRACTOR J.E. Wilson

RIG NO. D-6

REPORT NO.

DATE April 20

MORNING

DAYLIGHT

EVENING

Driller				Driller				Driller			
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO
0	35	2404	133A		98	100	2404	133A			
35	45	2404									
45	50	2404									
50	60	2404									

BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.	BIT NO.	NO. DC	SIZE	LENG.
133A											
SERIAL NO.	STANDS	SINGLES	DOWN ON KELLY	SERIAL NO.	STANDS	SINGLES	DOWN ON KELLY	SERIAL NO.	STANDS	SINGLES	DOWN ON KELLY
133A											

MAKE	MUD RECORD	MUD. ADDITIVES USED AND RECEIVED	MAKE	MUD RECORD	MUD. ADDITIVES USED AND RECEIVED	MAKE	MUD RECORD	MUD. ADDITIVES USED AND RECEIVED
WATER								
TIME	WT.	VIS.	TIME	WT.	VIS.	TIME	WT.	VIS.

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

REMARKS: April 20 - United No 1 stand out hole. 2 hrs running to new location

SIGNED: Toolmaster

Company Supervisor

01111