

4647

-30-045-09093

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO


(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 29 Twp 30 Rng 9Name of Well/Wells or Pipeline Serviced MANSFIELD #1cps 55wElevation 5941' Completion Date 11/9/61 Total Depth 200' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/ADepths gas encountered: N/AType & amount of coke breeze used: 1224 lbs.Depths anodes placed: 180', 172', 96', 90', 84'Depths vent pipes placed: N/AVent pipe perforations: N/ARemarks: ggb #1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

SAN JUAN DIVISION
WELL CASING CATHODIC PROTECTION
DAILY CONSTRUCTION
PROGRESS REPORT

DATE 11-9-61

WELL NAME - Mansfield # 1 WORK ORDER NO. 184-52100-50-20

NUMBER AND DEPTH OF HOLES: #1 200', #2 , #3 , #4 , #5 .

DEPTH OF EACH ANODE: #1 180', #2 172', #3 96', #4 90', #5 84', #6 , #7
#8 , #9 , #10 .

ANODE RESISTANCES: #1 1.8, #2 1.8, #3 1.8, #4 1.8, #5 2.2, #6 , #7
#8 , #9 , #10 .

TOTAL CIRCUIT RESISTANCE: .78 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 1224/65 #2 , #3
#4 , #5 .

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED .

REMARKS:

Unable to get #1 anode any lower

coke - 6.8 lbs/ft.

Edward R. Parke
SIGNATURE OF INSPECTOR

