

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MA-13

NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

4276

Operator: BLACKWOOD & NICHOLS CO. Location: Unit M, Sec. 10, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 472, 72 472- 30-045-27318  
72- 30-045-25095Elevation 6460' Completion Date 10-4-93 Total Depth 510' Land Type\* Surface: P Mineral: SF-079045Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A


Depths &amp; thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/AType & amount of coke breeze used: 130 sx Asbury GraphiteDepths anodes placed: 130' - 318'Depths vent pipes placed: 430' to 4' Above Ground LevelVent pipe perforations: 30' - 430'Remarks: Groundbed located 162' N 30° E of NEBU 472. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 11/19/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# MA-12 WELL# NEBU# 472-d 72

S 29 T 31

[illegible]

DRILLER gone hunting

INSPECTOR Joe Mityach

# CATHODIC GROUND BED DRILLERS REPORT

WELL # NEBU 472 + 72

S 29 T 31 I

[illegible]

LLER

INSPECTOR