

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MA-15

NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

4268

Operator: BLACKWOOD & NICHOLS CO. Location: Unit G, Sec. 30, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 414, 49 414 = 30-045-2732049 = 30-045-10353Elevation 6360' Completion Date 10-4-93 Total Depth 500' Land Type* Surface: F Mineral: SF-079045Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-II - 90# ea.If Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. Water at 300'

RECEIVED

NOV 23 1993

Depths gas encountered: N/AOIL CON. DIV.
DET. 3Type & amount of coke breeze used: 138 sx Asbury Graphite Flo-CokeDepths anodes placed: 105' - 477'Depths vent pipes placed: 471' to 4' above ground levelVent pipe perforations: 71' - 471'Remarks: Ground bed is located 350' N 18° W of #414.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AlbTitle: Operations EngineerDate: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

1A-15 WELL# NEBY# 414 2# 49

S 3a T 2IN;

[illegible]

LER *perse murling*

INSPECTOR Joe Matyszek

BLACKWOOD & NICHOLS
CATHODIC GROUND BED
DRILLERS REPORT

NA#15WELL# NEBU#414 + 49

S 30 T31W

[illegible]

LER

INSPECTOR