

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MA-11

NORTHWESTERN NEW MEXICO
(Submit 3 Copies to OCD Aztec Office)

3587

30-045-27286

Operator: BLACKWOOD & NICHOLS CO. Location: Unit B, Sec. 23, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Serviced NEBU 420Elevation 6400' Completion Date 10-6-93 Total Depth 410' Land Type* Surface: F Mineral: SF-079043Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No water.Depths gas encountered: N/ARECEIVED
NOV 23 1993Type & amount of coke breeze used: 130 sx, Asbury Graphite Flo-Coke.OIL CON. DIV.
DIST. 3Depths anodes placed: 145' - 357'Depths vent pipes placed: 375' to 4' Above Ground LevelVent pipe perforations: 75' - 375'Remarks: Groundbed located 289' N 4° W of NEBU 420. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations EngineerDate: 11/19/93

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P#MA 11 WELL#NEB4#420

S 23 T 5/M

[illegible]

DRILLER game murtree

INSPECTOR Joe Martinez

BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

7A-1 WELL# NEBU-420

S 23 T 31

[illegible]

LER

INSPECTION