

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
10 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to
appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		RCVD MAR6'07	
Address: <u>200 Energy Court, Farmington, NM 87410</u>		OIL CONS. DIV.	
Facility or well name: <u>CASE B #3A</u> API #: <u>30-045-23175</u> U/L or Qtr/Qtr <u>E</u> Sec <u>17</u> T <u>31N</u> R <u>11W</u>		DIST. 3	
County: <u>San Juan</u> Latitude <u>36.90108</u> Longitude <u>108.01876</u> NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>			
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> SEP/PRODUCTION TANK Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl		Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input checked="" type="checkbox"/> If not, explain why not: <u> </u>	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	(0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines <input checked="" type="checkbox"/> , a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input checked="" type="checkbox"/> .	
Date: <u>06/12/04</u>	
Printed Name/Title <u>Jeff Blagg - P.E. # 11607</u>	Signature <u>[Signature]</u>
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Approval: <u>MAR 06 2007</u>	
Date: <u> </u>	
Printed Name/Title <u>DEPUTY OIL & GAS INSPECTOR, DIST. 3</u>	Signature <u>[Signature]</u>

3004523175

36.90108 x 108.01876

CLIENT:

BP

BLAGG ENGINEERING, INC.

P.O. BOX 87, BLOOMFIELD, NM 87413

(505) 632-1199

LOCATION NO: 81418

COCR NO:

12272

FIELD REPORT: PIT CLOSURE VERIFICATION

PAGE No: 1 of 1

LOCATION: NAME: CASE B WELL #: 3A TYPE: SEP/PROD

DATE STARTED: 6-10-04

DATE FINISHED: 6-10-04

QUAD/UNIT: E SEC: 17 TWP: 31N RNG: 11W PM: NM CNTY: SJ ST: NM

ENVIRONMENTAL
SPECIALIST:

JCB

QTR/FOOTAGE: 1700' N 1135' W SW NW CONTRACTOR: HD (ONCFRE)

EXCAVATION APPROX. 15 FT. x 15 FT. x 8 FT. DEEP. CUBIC YARDAGE: 402

DISPOSAL FACILITY: ONSITE REMEDIATION METHOD: LF

LAND USE: RANGE - BLM LEASE: SF 072095 FORMATION: MV

FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY 96 FT. S 59W FROM WELLHEAD.

DEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >100

NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5000 PPM

SOIL AND EXCAVATION DESCRIPTION:

OVM CALIB. READ. = 52.2 ppm

OVM CALIB. GAS = 100 ppm

RF = 0.52

TIME: 1500 am/pm DATE: 6-10-04

SOIL TYPE: SAND (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK SS @ 8' BG

SOIL COLOR: GREEN

COHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE

CONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATED

DISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - GRAY

HC ODOR DETECTED: YES / NO EXPLANATION - MODERATE

SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS.

ADDITIONAL COMMENTS: 15' x 15' x 3' DEEP EARTHEN PIT. USE BACKHOE TO EXCAVATE TO BEDROCK SANDSTONE @ 8' BG

CLOSED

SCALE




0 10 FT

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

PIT PERIMETER


PIT PROFILE

OVM
READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 8'	119
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
102	TRI-CL	1510
	BIG x	
	(BOTH PASSED)	

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW
T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM

TRAVEL NOTES:

CALLOUT: 6/10/04

1400

ONSITE: 6/10/04

1440

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Prod. Pit 1 @ 8'	Date Reported:	06-12-04
Laboratory Number:	29061	Date Sampled:	06-10-04
Chain of Custody No:	12272	Date Received:	06-11-04
Sample Matrix:	Soil	Date Extracted:	06-11-04
Preservative:	Cool	Date Analyzed:	06-12-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1.1	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	1.1	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Case B #3A.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Prod. Pit 1 @ 8'	Date Reported:	06-12-04
Laboratory Number:	29061	Date Sampled:	06-10-04
Chain of Custody:	12272	Date Received:	06-11-04
Sample Matrix:	Soil	Date Analyzed:	06-12-04
Preservative:	Cool	Date Extracted:	06-11-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	32.2	1.7
Ethylbenzene	26.3	1.5
p,m-Xylene	136	2.2
o-Xylene	34.9	1.0
Total BTEX	229	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	94 %
	1,4-difluorobenzene	94 %
	Bromochlorobenzene	94 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Case B #3A.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Sep/Prod. Pit 1 @ 8'	Date Reported:	06-11-04
Lab ID#:	29061	Date Sampled:	06-10-04
Sample Matrix:	Soil	Date Received:	06-11-04
Preservative:	Cool	Date Analyzed:	06-11-04
Condition:	Cool and Intact	Chain of Custody:	12272


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

46.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Case B #3A.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 81418C.O.C. NO: 14540

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: CASE B WELL #: 3A PITS: SEP. / P250.DATE STARTED: 3/24/06

DATE FINISHED: _____

QUAD/UNIT: E SEC: 17 TWP: 31N RNG: 11W PM: NM CNTY: ST ST: NMENVIRONMENTAL
SPECIALIST: NVQTR/FOOTAGE: SW/40 CONTRACTOR: _____

SOIL REMEDIATION:

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____

LAND USE: RANGELIFT DEPTH (ft): 1

FIELD NOTES & REMARKS:

DEPTH TO GROUNDWATER: >100'NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000'NMOCD RANKING SCORE: 0NMOCD TPH CLOSURE STD: 5,000 PPMSOIL TYPE: ~~SAND~~ / ~~SILTY SAND~~ / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: MOSTLY OLIVE GRAYCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC


DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - _____HC ODOR DETECTED: YES / NO EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS): 6-8 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. _____

ADDITIONAL COMMENTS: _____

CLOSED

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ. = 53.7 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 9:00 am DATE: 3/21/06

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (80159)	1505	6.5

SCALE

0  1 FT

P.C. - 6/10/04

TRAVEL NOTES: CALLOUT: N/A

ONSITE: _____

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	03-23-06
Laboratory Number:	36502	Date Sampled:	03-21-06
Chain of Custody No:	14540	Date Received:	03-22-06
Sample Matrix:	Soil	Date Extracted:	03-22-06
Preservative:	Cool	Date Analyzed:	03-23-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	6.5	0.1
Total Petroleum Hydrocarbons	6.5	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Case B #3A Landfarm 5 Pt. Composite Sample.**


Analyst


Review