

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
20 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

RCUD MAR26'07
OIL CONS. DIV.

DIST. 3

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		
Address: <u>200 Energy Court, Farmington, NM 87410</u>		
Facility or well name: <u>HUGHES A #5</u>	API #: <u>30-045-23516</u>	U/L or Qtr/Qtr <u>A</u> Sec <u>33</u> T <u>29N</u> R <u>8W</u>
County: <u>San Juan</u> Latitude <u>36.68738</u> Longitude <u>107.67707</u>	NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> <u>PRODUCTION TANK</u> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness <u> </u> mil Clay <input type="checkbox"/> Volume <u> </u> bbl		
Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? Yes <input type="checkbox"/> If not, explain why not.		
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) <u>0</u>
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) <u>0</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) <u>0</u>
	1000 feet or more	(0 points)
Ranking Score (Total Points)		<u>0</u>

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 05/19/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: MAR 26 2007

Printed Name/Title DEPUTY OIL & GAS INSPECTOR, DIST. 4

Signature Bob Bell

PAGE 2 OF 3

3004523516

36.68738N 107.67707W

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1387</u> COCR NO: <u>12155</u>																																																																																													
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																																																																													
LOCATION: NAME: <u>HUGHES A</u> WELL #: <u>5</u> TYPE: <u>PROD</u> QUAD/UNIT: <u>A</u> SEC: <u>33</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SF</u> ST: <u>NM</u> QTR/FOOTAGE: <u>880'N / 1170'N</u> NE/SE CONTRACTOR: <u>HD (ONOFFRE)</u>		DATE STARTED: <u>5-18-04</u> DATE FINISHED: <u>5-18-04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																																																																													
EXCAVATION APPROX. <u>10</u> FT. x <u>10</u> FT. x <u>4</u> FT. DEEP. CUBIC YARDAGE: <u>10±</u>																																																																																															
DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>LF</u>																																																																																															
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF 073049</u> FORMATION: <u>DK</u>																																																																																															
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>90</u> FT. <u>N83°E</u> FROM WELLHEAD.																																																																																															
DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u>																																																																																															
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																																																																															
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>52.7</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1420</u> am/pm DATE: <u>5-18-04</u>																																																																																													
SOIL TYPE: (<u>SAND</u>) SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK S.S. @ 4'</u> SOIL COLOR: <u>GRAY</u> COHESION (ALL OTHERS): (<u>NON COHESIVE</u>) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): (<u>LOOSE</u>) FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / (<u>SLIGHTLY MOIST</u>) MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: (<u>YES</u>) NO EXPLANATION - <u>GRAY</u> HC ODOR DETECTED: (<u>YES</u>) NO EXPLANATION - <u>STRONG</u> SAMPLE TYPE: (<u>GRAB</u>) COMPOSITE - # OF PTS. ADDITIONAL COMMENTS: <u>EARTHEN PIT. BEDROCK S.S. @ 4'.</u> <u>BEDROCK BOTTOM</u>																																																																																															
FIELD 418.1 CALCULATIONS																																																																																															
SCALE	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>							SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																																																																								
0 FT	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p style="text-align: center;">PIT PERIMETER</p> </div> <div style="width: 45%;"> <p style="text-align: center;">PIT PROFILE</p> </div> </div>																																																																																														
<p style="text-align: center;">OVM READING</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 4'</td><td>364</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table>								SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 4'	364	2 @		3 @		4 @		5 @																																																																													
SAMPLE ID	FIELD HEADSPACE (ppm)																																																																																														
1 @ 4'	364																																																																																														
2 @																																																																																															
3 @																																																																																															
4 @																																																																																															
5 @																																																																																															
<p style="text-align: center;">LAB SAMPLES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1104</td><td>TPH</td><td>1345</td></tr> <tr><td> </td><td>BTEX</td><td> </td></tr> <tr><td> </td><td>CI</td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td></tr> </tbody> </table> <p style="text-align: center;">(ALL PASSED)</p>								SAMPLE ID	ANALYSIS	TIME	1104	TPH	1345		BTEX			CI																																																																													
SAMPLE ID	ANALYSIS	TIME																																																																																													
1104	TPH	1345																																																																																													
	BTEX																																																																																														
	CI																																																																																														
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM																																																																																															
TRAVEL NOTES: CALLOUT: <u>5/18/04 0730</u> ONSITE: <u>5/18/04 1330</u>																																																																																															

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-19-04
Laboratory Number:	28718	Date Sampled:	05-18-04
Chain of Custody No:	12155	Date Received:	05-18-04
Sample Matrix:	Soil	Date Extracted:	05-19-04
Preservative:	Cool	Date Analyzed:	05-19-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	511	0.2
Diesel Range (C10 - C28)	521	0.1
Total Petroleum Hydrocarbons	1,030	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes A #5 Production Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-19-04
Laboratory Number:	28718	Date Sampled:	05-18-04
Chain of Custody:	12155	Date Received:	05-18-04
Sample Matrix:	Soil	Date Analyzed:	05-19-04
Preservative:	Cool	Date Extracted:	05-19-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	346	1.8
Toluene	913	1.7
Ethylbenzene	312	1.5
p,m-Xylene	1,980	2.2
o-Xylene	753	1.0
Total BTEX	4,300	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98 %
	1,4-difluorobenzene	98 %
	Bromochlorobenzene	98 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes A #5 Production Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-19-04
Lab ID#:	28718	Date Sampled:	05-18-04
Sample Matrix:	Soil	Date Received:	05-18-04
Preservative:	Cool	Date Analyzed:	05-19-04
Condition:	Cool and Intact	Chain of Custody:	12155


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

66.5

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Hughes A #5 Production Pit.


Analyst


Review