

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
.0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144
March 12, 2004

RCVD MAR26'07
OIL CONS. DIV.
DIST. 3

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		
Address: <u>200 Energy Court, Farmington, NM 87410</u>		
Facility or well name: <u>HUGHES #7E</u>	API #: <u>30-045-25748</u>	U/L or Qtr: <u>H</u> Sec <u>19</u> T <u>29N</u> R <u>8W</u>
County: <u>San Juan</u> Latitude <u>36.71344</u> Longitude <u>107.71105</u>	NAD: 1927 <input type="checkbox"/> 1983 <input checked="" type="checkbox"/> Surface Owner Federal <input checked="" type="checkbox"/> State <input type="checkbox"/> Private <input type="checkbox"/> Indian <input type="checkbox"/>	
Pit Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> PRODUCTION TANK Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Volume _____ bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet	(20 points)
	50 feet or more, but less than 100 feet	(10 points) 0
	100 feet or more	(0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)
	No	(0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)
	200 feet or more, but less than 1000 feet	(10 points) 0
	1000 feet or more	(0 points)
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 05/13/04

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature [Signature]



Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: MAR 26 2007

Printed Name/Title JOSEPH C. & GAS INSPECTOR, DIST. III

Signature [Signature]

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>81383</u> COCR NO: <u>12071</u>																																								
FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>																																								
LOCATION: NAME: <u>HUGHES</u> WELL #: <u>7E</u> TYPE: <u>PROD. TANK</u> QUAD/UNIT: <u>H</u> SEC: <u>19</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>Nm</u> CNTY: <u>SJ</u> ST: <u>Nm</u> QTR/FOOTAGE: <u>1490'N/790'E</u> NE/SE CONTRACTOR: <u>HDI (ONOFRE)</u>		DATE STARTED: <u>5/12/04</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>NV</u>																																								
EXCAVATION APPROX. <u>10</u> FT. x <u>10</u> FT. x <u>3</u> FT. DEEP. CUBIC YARDAGE: <u>10</u>																																										
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>																																										
LAND USE: <u>RANGE-BURN</u> LEASE: <u>SE078046</u> FORMATION: <u>OK</u>																																										
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>129</u> FT. <u>SW</u> FROM WELLHEAD.																																										
DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE: <u>>1000'</u> NEAREST SURFACE WATER: <u>>1000'</u>																																										
NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM																																										
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB. READ. = <u>53.0</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1:50</u> am/pm DATE: <u>5/12/04</u>																																								
SOIL TYPE: <u>SAND</u> / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK (SANDSTONE)</u> SOIL COLOR: <u>PALE YEL. ORANGE TO DK. GRAY</u> <u>BEDROCK - LT. TO DK. GRAY</u> COHESION (ALL OTHERS): <u>NON COHESIVE</u> SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): <u>SOFT</u> / FIRM / STIFF / VERY STIFF / HARD MOISTURE: DRY / SLIGHTLY MOIST / <u>MOIST WET</u> / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>ENTIRE TEST HOLE + BEDROCK SURFACE.</u> HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>TEST HOLE + DUM SAMPLE.</u> SAMPLE TYPE: <u>GRAB</u> COMPOSITE - # OF PTS. _____ ADDITIONAL COMMENTS: <u>COLLECTED SAMPLE FROM BEDROCK. BEDROCK BET. 2'-4' BELOW GRADE, SOFT TO VERY HARD, MARGINAL TO COMPETENT.</u> <div style="border: 1px solid black; padding: 2px; display: inline-block;">BEDROCK BOTTOM</div>																																										
FIELD 418.1 CALCULATIONS																																										
SCALE  0 FT	<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>		SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																																			
PIT PERIMETER	PIT PROFILE																																									
	<div style="display: flex;"> <div style="flex: 1;"> OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @ 4'</td><td>324</td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> </div> <div style="flex: 1; text-align: center;"> NOT APPLICABLE </div> </div> <div style="margin-top: 10px;"> LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>1 @ 4'</td><td>TPH (8015B)</td><td>1347</td></tr> <tr><td>"</td><td>BTEX (8021B)</td><td>"</td></tr> <tr><td>"</td><td>CHLORIDE</td><td>"</td></tr> </tbody> </table> <div style="border: 1px solid black; border-radius: 50%; padding: 5px; display: inline-block; margin-top: 5px;">ALL PASSED</div> </div>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @ 4'	324	2 @		3 @		4 @		5 @														SAMPLE ID	ANALYSIS	TIME	1 @ 4'	TPH (8015B)	1347	"	BTEX (8021B)	"	"	CHLORIDE	"				
SAMPLE ID	FIELD HEADSPACE (ppm)																																									
1 @ 4'	324																																									
2 @																																										
3 @																																										
4 @																																										
5 @																																										
SAMPLE ID	ANALYSIS	TIME																																								
1 @ 4'	TPH (8015B)	1347																																								
"	BTEX (8021B)	"																																								
"	CHLORIDE	"																																								
TRAVEL NOTES: CALLOUT: <u>5/12/04 - MORN.</u> ONSITE: <u>5/12/04 - AFTER.</u>																																										

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-13-04
Laboratory Number:	28630	Date Sampled:	05-12-04
Chain of Custody No:	12071	Date Received:	05-13-04
Sample Matrix:	Soil	Date Extracted:	05-13-04
Preservative:	Cool	Date Analyzed:	05-13-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	1,040	0.2
Diesel Range (C10 - C28)	1,570	0.1
Total Petroleum Hydrocarbons	2,610	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes #7E Production Tank Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-13-04
Laboratory Number:	28630	Date Sampled:	05-12-04
Chain of Custody:	12071	Date Received:	05-13-04
Sample Matrix:	Soil	Date Analyzed:	05-13-04
Preservative:	Cool	Date Extracted:	05-13-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	172	1.8
Toluene	740	1.7
Ethylbenzene	262	1.5
p,m-Xylene	1,580	2.2
o-Xylene	550	1.0
Total BTEX	3,300	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes #7E Production Tank Pit Grab Sample.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW


Total Chloride


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 4'	Date Reported:	05-13-04
Lab ID#:	28630	Date Sampled:	05-12-04
Sample Matrix:	Soil	Date Received:	05-13-04
Preservative:	Cool	Date Analyzed:	05-13-04
Condition:	Cool and Intact	Chain of Custody:	12071

Parameter	Concentration (mg/Kg)
Total Chloride	35.5

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Hughes #7E Production Tank Pit Grab Sample.


Analyst


Review