

4871

30-045-10923

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 8 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced MARCOTTE #1

cps 448w

Elevation 5847' Completion Date 7/18/63 Total Depth 155' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: N/A

Depths anodes placed: N/A

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 SCRAP TUBING ABANDONED

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 7-18-63

WELL NAME Mar 60~~th~~ Pool # 1 CPS NO. 448 W

LOCATION 8-31N-10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 155'

TOTAL DRILLING RIG TIME 8 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 _____, #2 _____, #3 _____, #4 _____

TOTAL LBS. COKE USED _____

ANODE OUTPUTS _____ VOLTS, #1 _____, #2 _____, #3 _____, #4 _____

TOTAL CIRCUIT RESISTANCE: VOLTS 10 AMPERES 13.5 OHMS .74

NUMBER FEET SURFACE CABLE CONDUIT 396'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{1}{2}$ = .65 R 600' SW


Installed Good-All Rect 40V 12A Ser #6206377

Installed Scrap Tubing Bed 155'

ALL CONSTRUCTION COMPLETED

P. Poulch
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

401

MORNING

DAYLIGHT

EVENING

[illegible]

BIT NO.			NO. DC			SIZE			LENG.		
SERIAL NO.			NO. DC			SIZE			LENG.		
STANDS			STANDS			STANDS			STANDS		
144			1004			185			185		
TYPE			DOWN ON KELLY			MAKE			MUD RECORD		
MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time			Time			Time			Time		

[illegible]

Fig. 11-14

REMARKS -

REMARKS -

LOFT 4017 LOCATION 2ND FLOOR, 2ND WARD
Model set up & drilled to 450 - 460 ft by 1000

Dep't of Soc. Sci.

1982

John Philip Roth

SIGNED: Toolpusher

Company Supervisor

12