

4876

30-045-11094

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 3 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #7

cps 450w

Elevation 5938' Completion Date 7/20/63 Total Depth 120' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 800 lbs.

Depths anodes placed: 106', 100', 80', 31', 25'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 7-20-63

WELL NAME SCOTT #7 CPS NO. 450-4

LOCATION 3 - 31N - 10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 120'

TOTAL DRILLING RIG TIME 5 1/2 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE _____

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 106, #2 100', #3 80', #4 31' 5 25'

TOTAL LBS. COKE USED 800 lbs 8 sacks

ANODE OUTPUTS 12 VOLTS, #1 2.8, #2 3.2, #3 3.2, #4 4.7 5 4.5

TOTAL CIRCUIT RESISTANCE: VOLTS 10.7 AMPERES 9 OHMS 1.2

NUMBER FEET SURFACE CABLE CONDUIT 370'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static G/G = .83 R 600' S


Installed Good-All Rect 40V 12A Ser #6206380

No Junction Box Installed

ALL CONSTRUCTION COMPLETED

E. Poubelle
SIGNATURE

GROUND BED LAYOUT SKETCH



EL PASO NATURAL GAS COMPANY
DRILLING DEPARTMENT

DAILY DRILLING REPORT

LEASE NO. SC 678649 WELL NO. 11-01 CONTRACTOR L.E. Wilson RIG NO. 06 REPORT NO. 1963 DATE July 19 1963

MORNING

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew			
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	
1	30	Shale	9005												
30	100	Shale	3005												
100	110	Shale	3005												
NO. DC				SIZE	NO. DC				SIZE	NO. DC				SIZE	
NO. DC				SIZE	NO. DC				SIZE	NO. DC				SIZE	
STANDS					STANDS					STANDS					
SINGLES					SINGLES					SINGLES					
DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					
TOTAL DEPTH				190	TOTAL DEPTH					TOTAL DEPTH					
MUD RECORD					MUD RECORD					MUD RECORD					
MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					MUD, ADDITIVES USED AND RECEIVED					
Time	WL	Vis		Time	WL	Vis		Time	WL	Vis		Time	WL	Vis	
FROM	TO	TIME BREAKDOWN		FROM	TO	TIME BREAKDOWN		FROM	TO	TIME BREAKDOWN		FROM	TO	TIME BREAKDOWN	
REMARKS -				REMARKS -				REMARKS -				REMARKS -			
July 19 - move rig at 11:00 AM. Drilled hole at 4:20 PM.				alter 1				58.00 ft. Drilled hole							

SIGNED: Toolpusher

Company Supervisor

[Signature]