

30-045-06988 4793

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 36 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced BLANCO #15

cps 673w

Elevation 6225' Completion Date 4/8/64 Total Depth 260' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 3125 lbs.

Depths anodes placed: 130', 124', 118', 112', 106', 100', 94'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qgb #1

RECEIVED

MAY 31 1991

OIL CON. DIV

DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.


WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-8-64
WELL NAME Blanco Gas ^{#15} ~~well #4~~ CPS NO. ~~570W~~
LOCATION SW⁴ 36-28-8 CPS No. 673W
WORK ORDER NUMBER 54283
ANODE HOLE DEPTH 260
TOTAL DRILLING RIG TIME 13 Hrs.
DRILLING TIME FOR RECTIFIER POLE HOLE 0
TYPE AND SIZE BIT USED 6 1/4 Rock WM 5709
NUMBER SACKS MUD USED 2
NUMBER SACKS LOST CIRCULATION MAT'L USED 0
ANODE DEPTHS #1 130, #2 124, #3 118, #4 112 5106 6100 794
TOTAL LBS. COKE USED 3125 2.5 sacks
ANODE OUTPUTS 12.2 VOLTS, #1 1.8, #2 1.8, #3 1.8, #4 2.0 5.8 6.1
TOTAL CIRCUIT RESISTANCE: VOLTS 12.0 AMPERES 4.5 OHMS 2.66 7.1
NUMBER FEET SURFACE CABLE CONDUIT 507'
DRILLING LOG (ATTACH HERETO).
FORMATION LOG (ATTACH HERETO).
REMARKS: Static Gs. 78 600' W
P.E.M. Rect. 40V 12A Ser.# 637348
~~P.E.M. Rect. 28-12 Ser.# 637272~~
NOTE High Resistance

ALL CONSTRUCTION COMPLETED

Arrels
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

136'
B-591

W054283

DAILY DRILLING REPORT

LEASE **B111111** WELL NO. **W111111** RIG NO. **D-4** REPORT NO. **4-348** DATE **4-24-83**

MORNING

DAYLIGHT

EVENING

Driller				Total Man In Crew			
FROM	TO	ST. OUT	R.P.M.	FORMATION	NO. DC	SIZE	LENG.
0	8.5			5 1/2"			
8.5	1.55			5 1/2"			
1.55	1.67			5 1/2"			
1.67	2.05			5 1/2"			

Driller				Total Man In Crew			
FROM	TO	ST. OUT	R.P.M.	FORMATION	NO. DC	SIZE	LENG.
2.05	2.30			5 1/2"			
2.30	2.45			5 1/2"			
2.45	2.55			5 1/2"			
2.55	3.05			5 1/2"			

Driller				Total Man In Crew			
FROM	TO	ST. OUT	R.P.M.	FORMATION	NO. DC	SIZE	LENG.
3.05	3.15			5 1/2"			
3.15	3.25			5 1/2"			
3.25	3.35			5 1/2"			
3.35	3.45			5 1/2"			

Driller				Total Man In Crew			
FROM	TO	ST. OUT	R.P.M.	FORMATION	NO. DC	SIZE	LENG.
3.45	3.55			5 1/2"			
3.55	4.05			5 1/2"			
4.05	4.15			5 1/2"			
4.15	4.25			5 1/2"			

Driller				Total Man In Crew			
FROM	TO	ST. OUT	R.P.M.	FORMATION	NO. DC	SIZE	LENG.
4.25	4.35			5 1/2"			
4.35	4.45			5 1/2"			
4.45	4.55			5 1/2"			
4.55	5.05			5 1/2"			

SIGNED

Company Supervisor

Offshore

REMARKS -

4-3-64
Finished last hole @ 700 ft
Started hole @ 930 AM. Drilled down to 215'
1.55 hrs @ 1300 RPM
4-8-64
10.55 hrs @ 1200 RPM
Arrived field @ 930 AM. Drilled from 215' to 260'
Finished hole @ 1200 RPM

REMARKS -

Rig time is hrs

REMARKS -

4-3-64 --- 8 hrs
4-8-64 --- 13 hrs
Total 13 hrs