

#1 30-045-07496
#7 30-045-20918⁴⁷⁸⁴

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 16 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced HARDIE E #1, #7

cps 652w

Elevation 6441' Completion Date 4/28/64 Total Depth 240' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 3625 lbs.

Depths anodes placed: 215', 209', 203', 197', 191', 185', 179', 75'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV
DIST. 3

gb #1 and gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date 4-28-65

Well Name <u>Hardie 1-E</u>			CPS No. <u>652 W</u>		
Location <u>NE 16-28N-8W</u>			Work Order No. <u>53169</u>		
Anode Hole Depth <u>240</u>	Total Drilling Rig Time <u>12 1/2 hrs</u>	Type & Size Bit Used <u>7 7/8" #58035 X</u>		No. Sacks Mud Used <u>0</u>	
No. Sacks Lost Circulation Mat'l Used <u>0</u>	Anode Depth				
	#1 <u>215</u>	#2 <u>209</u>	#3 <u>203</u>	#4 <u>197</u>	#5 <u>191</u>
Total Lbs. Coke Used <u>3625 lbs</u>	Anode Output (Volts)				
	#1 <u>1.3</u>	#2 <u>1.4</u>	#3 <u>1.5</u>	#4 <u>1.6</u>	#5 <u>1.8</u>
Total Circuit Resistance	No. Ft. Surface Cable Conduit				
Volts <u>11.0</u>	Amps <u>6.0</u>	Ohms <u>1.84</u>	<u>4 1/6'</u>		<u>2.3</u>
					<u>2.8</u>

Drilling Log (Attach Hereto). ☐


Remarks: Static $\gamma_g = .75$ 600' N

Installed PEM 40V 12A #637358

All Construction Completed

Paul H
(Signature)

GROUND BED LAYOUT SKETCH



1885

