

4376

30-045-09213

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 25 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL #2L

cps 6w

Elevation 6227' Completion Date 11/20/61 Total Depth 136' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1156 lbs.

Depths anodes placed: 120', 112', 90', 70', 34'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qgb.#1

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST.

SAN JUAN DIVISION
WELL CASING CATHODIC PROTECTION
DAILY CONSTRUCTION
PROGRESS REPORT

6 W

DATE

77-20-67

WELL NAME - Howell 2-4 (25-30-8) WORK ORDER NO. 184-52047-50-20

NUMBER AND DEPTH OF HOLES: #1 136, #2 120, #3 111, #4 90, #5 90, #6 37, #7 37

DEPTH OF EACH ANODE: #1 120, #2 111, #3 90, #4 90, #5 37, #6 37, #7 37
#8 37, #9 37, #10 37

ANODE RESISTANCES: #1 4.1, #2 4.7, #3 8.4, #4 8.0, #5 6.6, #6 6.6, #7 6.6
#8 6.6, #9 6.6, #10 6.6

TOTAL CIRCUIT RESISTANCE: 3.0 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 8.5 #1/15, #2 115 #1/15, #3 115 #1/15
#4 115 #1/15, #5 115 #1/15

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED 7/15/67

REMARKS:

SIGNATURE OF INSPECTOR [Signature]

