

1- 30-045-10171
2- 30-045-21170

4934

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 32 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced SUNRAY K COM #1. A #2

cps 335w

Elevation 6126' Completion Date 6/1/63 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1800 lbs.

Depths anodes placed: 155', 115', 82', 76', 70'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 **ABANDONED**

RECEIVED
MAY 31 1991
OIL CON. DIST.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 2-1-63

WELL NAME SUNRAY 3-2-0 No. 1 CPS NO. 225-K1

LOCATION NE² Sec. 22 T21N 210W

WORK ORDER NUMBER 124-40542-50-02

ANODE HOLE DEPTH 180

TOTAL DRILLING RIG TIME 5 3/4 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock - W.M. 2209X

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 155, #2 115, #3 82, #4 76 #5 70

TOTAL LBS. COKE USED 18 Sacks @ 100 = 1800 lbs

ANODE OUTPUTS 12.4 VOLTS, #1 3.0, #2 3.0, #3 3.0, #4 3.8 #5 2.8

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.4 OHMS 1.39

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 505'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s 72R, 600 N


Good All Rectifier 28V 12A Ser. # 62C6086

Note - All wire No 8 Solid

ALL CONSTRUCTION COMPLETED

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1053'

SUNRAY STATE No. 1

LEASES 5630751N 8-Howell NO.

CONTRACTOR L. E. Williams

RIG NO. D-6

REPORT NO.

DATE May 21, 1968

MORNING

DAYLIGHT

EVENING

Driller				Total Man In Crew				Driller				Total Man In Crew			
FROM	TO	FORMATION	Wt. BIT	R.P.M.	NO. DC	SIZE	LENG.	FROM	TO	FORMATION	Wt. BIT	R.P.M.	NO. DC	SIZE	LENG.
0	10	Shale	118	118	155	160	160	155	160	Shale	118	118	155	160	160
10	30	Shale	118	118	155	160	160	155	160	Shale	118	118	155	160	160
30	45	Shale	118	118	155	160	160	155	160	Shale	118	118	155	160	160
45	55	Shale	118	118	155	160	160	155	160	Shale	118	118	155	160	160
MUD RECORD				MUD, ADDITIVES USED AND RECEIVED				MUD RECORD				MUD, ADDITIVES USED AND RECEIVED			
Time	Wt.	Via	Time	Wt.	Via	Time	Wt.	Via	Time	Wt.	Via	Time	Wt.	Via	Time
FROM				TO				FROM				TO			
TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN				TIME BREAKDOWN			

REMARKS -

REMARKS -

REMARKS -

Run 31 - moved 2.10 started drilling 100' lost 07:50
 lost 1 - left 11:00 field 100' drilled 6:45 drilled 20' finished hole 10:00

SIGNED Toolpusher

Company Supervisor

[Signature]