

4936
30-045-10242

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 28 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC A #3

cps 332w

Elevation 6071' Completion Date 5/31/63 Total Depth 240' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 2200 lbs.

Depths anodes placed: 195', 189', 183', 138', 132'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1 ALL WIRE NO. 8 SOLID.

RECEIVED
MAY 31 1991
OIL CON. DIV
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 5-31-63

WELL NAME Atlantic No. 3-A

CPS NO. 332-W

LOCATION Sec. 28 T31N R10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 240

TOTAL DRILLING RIG TIME 8 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4" ~~W.S.~~ Rock W.M. 3483x 2809X
202' 38'

NUMBER SACKS MUD USED 2

NUMBER SACKS LOST CIRCULATION MAT'L USED 1

ANODE DEPTHS #1 195, #2 189, #3 183, #4 138 #5 132

TOTAL LBS. COKE USED 22 Sacks @ 100 lbs = 2200 lbs

ANODE OUTPUTS 12.4 VOLTS, #1 2.5, #2 3.7, #3 3.7, #4 4.0 #5 4.3

TOTAL CIRCUIT RESISTANCE: VOLTS 11.5 AMPERES 9.0 OHMS 1.27

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 410

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static ϕ 76 R 600' EAST


Good All Rectifier 22V 12A Ser. #62C6072

Note - All Wire No. 8 Solid.

ALL CONSTRUCTION COMPLETED

Richard
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1347

