

4938

30-045-10362

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec 29 Twp 31 Rng 10

Name of Well/Wells or Pipeline Serviced ATLANTIC A #8

cps 331w

Elevation 6010' Completion Date 5/28/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1105 lbs.

Depths anodes placed: 115', 109', 103', 97', 91'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE May 28, 1963

WELL NAME Atlantic No. 8-A CPS NO. 331-W

LOCATION NE⁹ Sec. 29 T 31 N R 10 W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140'

TOTAL DRILLING RIG TIME 4 3/4 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 3483X

NUMBER SACKS MUD USED 1

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 115, #2 109, #3 103, #4 97 #5 91

TOTAL LBS. COKE USED 1105 13 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 5.5, #2 5.2, #3 4.8, #4 4.7 5.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 10.5 OHMS 1.12~

NUMBER FEET SURFACE CABLE CONDUIT 585' Anodes 1, 2, 3, & 5 No. 8 Solid

DRILLING LOG (ATTACH HERETO).


FORMATION LOG (ATTACH HERETO).

REMARKS: Static 9/3, 76 R 600 EAST
Good All Rect. 28V 12A Scr. # 620 6174

ALL CONSTRUCTION COMPLETED

Smalls
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1150'

CONTRACTOR
A. Carlson

RIG NO. **D-6**

REPORT NO.

DATE Nov 27 + 28 1963

MORNING

DAYLIGHT

EVENING

Driller						Total Men In Crew						Driller						Total Men In Crew					
FROM	TO	FORMATION	WT-BIT	R.P.M.		FROM	TO	FORMATION	WT-BIT	R.P.M.		FROM	TO	FORMATION	WT-BIT	R.P.M.		FROM	TO	FORMATION	WT-BIT	R.P.M.	
0	55	SSS	1	100																			
55	130	SSS	1	100																			
130	140	SSS	1	100																			

NO. DC				SIZE	LENG.
BIT NO.				SIZE	LENG.
SERIAL NO.				STANDS	
SIZE				SINGLES	
TYPE				DOWN ON KELLY	
MAKE				TOTAL DEPTH	
Rocky Mount-5					
17081902					
140					

[illegible][illegible]

REMARKS -	REMARKS -
APR 27 - moved 4:30 PM to 5:00 PM APR 28 - left downfield 6:00 AM arrived at my wife's DAILED 4:00 / 1st round finished 4:45 H:00	

SIGNED: Toolpusher

Company Supervisor

Donald