4928 30-045-13326

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS NORTHWESTERN NEW MEXICO (Submit 3 copies to OCD Aztec Office)

| Operator MERIDIAN OIL | Location: Unit NE Sec. 15 Twp 31 Rng 10 |
|--|---|
| Name of Well/Wells or Pipeline Se | rvicedKELLY A #3 |
| | cps 423w |
| Elevation 6217' Completion Date 7/12/ | 63 Total Depth 185' Land Type* N/A |
| Casing, Sizes, Types & Depths | I/A |
| If Casing is cemented, show amount | ts & types used N/A |
| If Cement or Bentonite Plugs have | been placed, show depths & amounts used |
| Depths & thickness of water zones Fresh, Clear, Salty, Sulphur, Etc. | with description of water when possible: N/A |
| Depths gas encountered: N/A | · |
| Type & amount of coke breeze used | : 1500 lbs. |
| Depths anodes placed: 88', 82', 76' | , 70', 64', 45' |
| Depths vent pipes placed: N/A | DECEIVED |
| Vent pipe perforations: N/A | MAY 3 1 1991 |
| Remarks: rgb.#1 | OIL CON. DIV |
| | DIST 2 |

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included

^{*}Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee. If Federal or Indian, add Lease Number.

WELL CASING CATHODIC PROTECTION CONSTRUCTION REPORT DAILY LOG

| - T on- | DATE 7-12-63 |
|---|--|
| WELL NAME Kelly No. 3-A | cps no. <u>423-W</u> |
| LOCATION NET Sec. 15 731 N RIOW | |
| WORK ORDER NUMBER 184- 40542 -50-02 | |
| ANODE HOLE DEPTH 185 | |
| TOTAL DRILLING RIG TIME 8/2H/S | |
| DRILLING TIME FOR RECTIFIER POLE HOLE | |
| TYPE AND SIZE BIT USED 6/4 Rock W.M. | 3484X |
| NUMBER SACKS MUD USED 2 | |
| NUMBER SACKS LOST CIRCULATION MAT'L USED | |
| ANODE DEPTHS #1 88 , #2 82 , #3 76 , #4 70 | 564 6 45 |
| TOTAL LBS COKE USED 1500 | |
| ANODE OUTPUTS 11.6 VOLTS, #1 2.5 , #2 3.0 , #3 3 | .5 , # 35 528 |
| TOTAL CIRCUIT RESISTANCE: VOLTS //-4 AMPERES 7. | A STATE OF THE PARTY OF THE PAR |
| NUMBER FEET SURFACE CABLE CONDUITS 505' | |
| DRILLING LOG (ATTACH HERETO). | |
| FORMATION LOG (ATTACH HERETO). | |
| REMARKS: 5+0116 1/3 77 R 600 5 | W |
| REMARKS: Static 1/s 77 R 600 S Good All Rectifier 40112A Sex | # 6206396 |
| | |
| | |
| | |

ALL CONSTRUCTION COMPLETED

SIGNATURE

GROUND BED LAYOUT SKETCH

180 XX 95

ORIGINAL & 1 COPY ALL REPORTS 1975

| | REMARKS | BERI NO. | |
|--|---------|--|-------------|
| | MARKS | WILLIAM STATE OF THE STATE OF T | |
| | | | |
| | | DG 1.812 STANDS BINGLES WHONKELLY TOTAL DEPTH SOFTIVES USES | |
| | | | |
| SIGNED AND ADDRESS OF THE PROPERTY OF THE PROP | | | |
| | | | |
| | | | |
| | | MO. DC MANDS STANDS BINGLES DOWN ON KELLY TOTAL DEPTH ADDITIVES USED | |
| | | | |
| Com | | | |
| Company Supervisor | REMARKS | NO. RIAL NO. E E MUD RE | |
| | | TO Via. | |
| | | NO. 6C | PAIL (CALL) |
| | | NO DC STANDS SING ES DOWN ON RELLY ADDITIVES BEEN A ADDITIVES BEEN A ADDITIVES BEEN A | |
| | | | |