

## DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS

MB-1

NORTHWESTERN NEW MEXICO  
(Submit 3 Copies to OCD Aztec Office)

3571

Operator: BLACKWOOD & NICHOLS CO. Location: Unit G, Sec. 15, Twp 31N, Rng 7W.Name of Well/Wells or Pipeline Served NEBU 452, 52 30-045-2750730-045-10772Elevation 6520' Completion Date 9-20-93 Total Depth 450' Land Type\* Surface: S Mineral: NM-03356Casing, Sizes, Types & Depths 8-5/8" SCH 40 P.V.C. - 100', 7-7/8" Open HoleIf Casing is cemented, show amounts & types used 20 sks Portland Zia I-IIIf Cement or Bentonite Plugs have been placed, show depths & amounts used N/A

Depths &amp; thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. No WaterDepths gas encountered: N/AType & amount of coke breeze used: Asbury Graphite - 113sxDepths anodes placed: 210' - 405'Depths vent pipes placed: 450' to 4' Above Ground LevelVent pipe perforations: 110' - 450'Remarks: Groundbed located 145' N 49° E from NEBU 452. WELLHEAD

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.

If Federal or Indian, add Lease Number.

Signed by: James K. AllenTitle: Operations Engineer Date: 11/19/93

# BLACKWOOD & NICHOLS CATHODIC GROUND BED DRILLERS REPORT

P# MR-1 WELL# NEBU#4521#52

S 15 T 31 N 1

DEPTH	STRATA	NOTES	DEPTH	STRATA	NOTES
5'					
10'					
15'	↖				
20'					
25'	E				
30'	N				
35'	S				
40'					
45'	X				
50'					
55'					
60'					
65'					
70'	E				
75'	L				
80'	A				
85'	H				
90'	S				
95'					
100'	✓				

RILLER Jesse Manting

INSPECTOR Joe Matjask

# CATHODIC GROUND BED DRILLERS REPORT

MB# WELL# NERU #452 + #52.

S 15 T 31N

[illegible]

LLER

INSPECTOR