

#67 = 30-039-07890
3906 #420 = 30-039-24178

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL INC Location: Unit NE Sec. 12 Twp 30 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #67, #420

cps 1940w

Elevation 6274' Completion Date 8/26/64 Total Depth 400' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 6900 lbs.

Depths anodes placed: 356', 350', 312', 306', 190', 184', 178'


Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.



CATHODIC PROTECTION CONSTRUCTION REPORT

DAILY LOG

Date 8-24-64

Well Name HORCH NO 3H 30-6 #67 #420				CPS No. 16341	
Location NE 12-30-7				Work Order No. 1452189-90-54	
Anode Hole Depth 400	Total Drilling Rig Time 40 1/2 Hrs	Type & Size Bit Used 10753X 140'		No. Sacks Mat Used 2	
No. Sacks Lost Circulation Mat'l Used 2 1	Anode Depth	# 1	# 2	# 3	# 4
	356	350	312	306	178
Total Lbs. Coke Used 465 Lbs 6900'	Anode Output (Volts)	# 1	# 2	# 3	# 4
	1.7	1.7	1.5	2.3	2.8
Total Circuit Resistance	Volts 12.0		Amps 6.6	Ohms 1.81	No. Ft. Surface Cable Conduit 150'

Drilling Log (Attach Hereto) ☐

Remarks: **Hole Caved, Moved Rig Back & Clean out**

All Construction Completed

[Signature]
(Signature)

GROUND BED LAYOUT SKETCH

GROUND BED NO. 1



GROUND BED NO. 2

[Handwritten mark]

6274

0

206'

EL PASO NATURAL GAS COMPANY
GRILLING DEPARTMENT

1950.23

DAILY DRILLING REPORT

[illegible]

