

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 2004
For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Burlington Resources Telephone: (505) 326-9841 e-mail address: Louis.E.Hasely@conocophillips.com
Address: 3401 East 30th Street, Farmington, New Mexico, 87402
Facility or well name: Huerfano Unit # 108E API #: 3004526428 U/L or Qtr/Qtr M Sec 01 T 26N R 10W
County: San Juan Latitude 36.51223 Longitude -107.85221 NAD: 1927 ☒ 1983 ☐
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

RCUD APR19'07
OIL CONS. DIV.

Pit Type: Drilling ☐ Production ☒ Disposal ☐ Workover ☐ Emergency ☐ Lined ☐ Unlined ☐ Liner type: Synthetic ☐ Thickness _____ mil Clay ☐ Pit Volume _____ bbl	Below-grade tank Volume: <u>60</u> bbl Type of fluid: <u>Produced Water and Incidental</u> Construction material: <u>Fiberglass</u> Double-walled, with leak detection? Yes ☐ If not, explain why not. <u>No Tank in place prior to Rule 50.</u>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points) 10
Ranking Score (Total Points) 10	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:

No excavation necessary, soil tested clean

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 3/30/07

Printed Name/Title Mr. Ed Hasely, Environmental Advisor

Signature [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.



Approval:

SENIOR OIL & GAS INSPECTOR, DIST. #1

Signature [Signature]

Date: APR 19 2007

92115-121-012

CLIENT: _____	ENVIROTECH INC. ENVIRONMENTAL SCIENTISTS & ENGINEERS 5796 U.S. HIGHWAY 64-3014 FARMINGTON, NEW MEXICO 87401 PHONE: (505) 832-0615	LOCATION NO: _____ C.O.C. NO: _____																																																																		
FIELD REPORT: CLOSURE VERIFICATION		PAGE No: _____ of _____																																																																		
LOCATION: NAME: <u>Huertano Unit</u> WELL #: <u>105E</u> PIT: <u>S4</u> QUAD/UNIT: <u>M</u> SEC: <u>1</u> TWP: <u>26N</u> RNG: <u>10W</u> PM: <u>NMPM</u> CNTY: <u>SS</u> ST: <u>NM</u> QTR/FOOTAGE: <u>790FSL</u> <u>1090FWL</u> CONTRACTOR: _____		DATE STARTED: <u>3/2/07</u> DATE FINISHED: _____ ENVIRONMENTAL SPECIALIST: <u>EWL</u>																																																																		
EXCAVATION APPROX. _____ FT. x _____ FT. x _____ FT. DEEP. CUBIC YARDAGE: _____ DISPOSAL FACILITY: _____ REMEDIATION METHOD: _____ LAND USE: <u>GRAZING</u> APT LEASE: <u>30-045-26428</u> FORMATION: <u>BASIN</u>																																																																				
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>60</u> FT. <u>160'</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>2100</u> NEAREST WATER SOURCE: <u>21,600</u> NEAREST SURFACE WATER: <u>200-1600</u> NMOC RANKING SCORE: <u>10</u> NMOC TPH CLOSURE STD: <u>1,000</u> PPM																																																																				
<u>SOIL AND EXCAVATION DESCRIPTION:</u>		CHECK ONE: ☐ PIT ABANDONED ☒ STEEL TANK INSTALLED																																																																		
FIELD 418.1 CALCULATIONS																																																																				
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>TIME</th> <th>SAMPLE I.D.</th> <th>LAB No:</th> <th>WEIGHT (g)</th> <th>mL. FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. ppm</th> </tr> </thead> <tbody> <tr> <td></td> <td><u>200 Std</u></td> <td></td> <td></td> <td></td> <td></td> <td><u>.118</u></td> <td><u>264</u></td> </tr> <tr> <td></td> <td><u>Bottom 3' & 100</u></td> <td><u>36T</u></td> <td><u>3.6</u></td> <td><u>2.6</u></td> <td><u>4</u></td> <td><u>.25</u></td> <td><u>1735</u></td> </tr> </tbody> </table>			TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm		<u>200 Std</u>					<u>.118</u>	<u>264</u>		<u>Bottom 3' & 100</u>	<u>36T</u>	<u>3.6</u>	<u>2.6</u>	<u>4</u>	<u>.25</u>	<u>1735</u>																																										
TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm																																																													
	<u>200 Std</u>					<u>.118</u>	<u>264</u>																																																													
	<u>Bottom 3' & 100</u>	<u>36T</u>	<u>3.6</u>	<u>2.6</u>	<u>4</u>	<u>.25</u>	<u>1735</u>																																																													
SCALE  0 FT	PIT PERIMETER 	OVM RESULTS <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE PID (ppm)</th> </tr> </thead> <tbody> <tr><td><u>1 bottom</u></td><td><u>1477</u></td></tr> <tr><td><u>2</u></td><td></td></tr> <tr><td><u>3</u></td><td></td></tr> <tr><td><u>4</u></td><td></td></tr> <tr><td><u>5</u></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> <tr><td></td><td></td></tr> </tbody> </table> LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td></tr> </tbody> </table>	SAMPLE ID	FIELD HEADSPACE PID (ppm)	<u>1 bottom</u>	<u>1477</u>	<u>2</u>		<u>3</u>		<u>4</u>		<u>5</u>																						SAMPLE ID	ANALYSIS	TIME																															PIT PROFILE 
SAMPLE ID	FIELD HEADSPACE PID (ppm)																																																																			
<u>1 bottom</u>	<u>1477</u>																																																																			
<u>2</u>																																																																				
<u>3</u>																																																																				
<u>4</u>																																																																				
<u>5</u>																																																																				
SAMPLE ID	ANALYSIS	TIME																																																																		
TRAVEL NOTES: CALLOUT: _____ ONSITE: _____																																																																				

36.51223 -107.85221

Client: Burlington
Sample No.: 1
Sample ID: Discrete 3' Below BGT
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #: 92115-121-012
Date Reported: 3/8/2007
Date Sampled: 3/2/2007
Date Analyzed: 3/2/2007
Analysis Needed: TPH-418.1

Parameter	Concentration (mg/kg)	Det. Limit (mg/kg)
-----------	--------------------------	--------------------------


Total Petroleum Hydrocarbons	1730	5.0
------------------------------	------	-----

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: Huerfano Unit #108E


Analyst


Review

EPA METHOD 418.1
TOTAL PETROLEUM
HYDROCARBONS
QUALITY ASSURANCE REPORT

Client:		Project #:	92115-121-012
Sample ID:	QA/QC	Date Reported:	3/8/2007
Laboratory Number:	01-24-TPH.QA/QC	Date Sampled:	N/A
Sample Matrix:	Freon-113	Date Analyzed:	3/2/2007
Preservative:	N/A	Date Extracted:	3/2/2007
Condition:	N/A	Analysis Needed:	TPH

Calibration	I-Cal Date	C-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
	05-22-04	3/2/2007	1,735	1,695	2.3%	+/- 10%

Blank Conc. (mg/Kg)	Concentration	Detection Limit
TPH	ND	5.0


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
TPH	2,471	2,352	4.8%	+/- 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
TPH	2,471	2,000	5,030	112.5%	80 - 120%

ND = Parameter not detected at the stated detection limit.

References: Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No. 4551, 1978.

Comments: QA/QC for Huerfano Unit # 108E


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Burlington	Project #:	92115-121-012
Sample ID:	Discrete 3' Below BGT	Date Reported:	03-05-07
Laboratory Number:	40258	Date Sampled:	03-02-07
Chain of Custody No:	2179	Date Received:	03-02-07
Sample Matrix:	Soil	Date Extracted:	03-02-07
Preservative:	Cool	Date Analyzed:	03-05-07
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	81.9	0.2
Diesel Range (C10 - C28)	215	0.1
Total Petroleum Hydrocarbons	297	0.2


ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Huerfano 108E



Analyst



Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	03-05-07 QA/QC	Date Reported:	03-05-07
Laboratory Number:	40257	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-05-07
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	07-11-05	1.0047E+003	1.0057E+003	0.10%	0 - 15%
Diesel Range C10 - C28	07-11-05	1.0059E+003	1.0079E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 40257 - 40258


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Burlington	Project #:	92115-121-012
Sample ID:	Discrete 3' Below BGT	Date Reported:	03-05-07
Laboratory Number:	40258	Date Sampled:	03-02-07
Chain of Custody:	2179	Date Received:	03-02-07
Sample Matrix:	Soil	Date Analyzed:	03-05-07
Preservative:	Cool	Date Extracted:	03-02-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	394	1.7
Ethylbenzene	779	1.5
p,m-Xylene	2,890	2.2
o-Xylene	342	1.0
Total BTEX	4,410	


ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %


References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Huerfano 108E



Analyst



Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	03-05-BTEX QA/QC	Date Reported:	03-05-07
Laboratory Number:	40253	Date Sampled:	N/A
Sample Matrix:	Solid	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	03-05-07
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff.	Blank Conc	Detect. Limit
		Accept. Range 0 - 15%			
Benzene	3.5941E+007	3.6013E+007	0.2%	ND	0.2
Toluene	5.4411E+007	5.4520E+007	0.2%	ND	0.2
Ethylbenzene	2.8301E+007	2.8358E+007	0.2%	ND	0.2
p,m-Xylene	1.1681E+008	1.1705E+008	0.2%	ND	0.2
o-Xylene	5.4556E+007	5.4666E+007	0.2%	ND	0.1

Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect Limit
Benzene	690	689	0.1%	0 - 30%	1.8
Toluene	2,390	2,380	0.4%	0 - 30%	1.7
Ethylbenzene	1,110	1,100	0.9%	0 - 30%	1.5
p,m-Xylene	5,390	5,380	0.2%	0 - 30%	2.2
o-Xylene	1,820	1,810	0.5%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	690	50.0	739	99.8%	39 - 150
Toluene	2,390	50.0	2,430	99.6%	46 - 148
Ethylbenzene	1,110	50.0	1,150	99.1%	32 - 160
p,m-Xylene	5,390	100	5,470	99.6%	46 - 148
o-Xylene	1,820	50.0	1,860	99.5%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for Samples 40253, 40258


Analyst


Review

2179

san iuan reproduction 578-129