District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

	r below-grade tank  Closure of a pit or below-grad	
Operator: Dugan Production Corp. Telephone: (505)325-1821 e-mail address: mstbbrown@duganproduction.com		
Address: P. O. Box 420, Farmington, NM 87499-0420	1000/000 1000	or of the same of
Facility or well name: Frazzle Com #90 API #: 30-045-33483	U/L or Otr/Otr K Sec 30 T 24N R	10W
County: San Juan Latitude 36.2825 Longitude 107.93888		
		RCVD APR6'07
Pit	Below-grade tank	
Type: Drilling ☑ Production ☐ Disposal ☐	Volume:bbl Type of fluid:	OIL CONS. DIV.
Workover ☐ Emergency ☐	Construction material: DIST. 3	
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes  If not, explain why not.	
Liner type: Synthetic ☑ Thickness <u>12</u> mil Clay □		
Pit Volume <u>1070</u> _bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)
	100 feet or more	( 0 points) 10
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No.	( 0 points) 0
	The second secon	· · · · · · · · · · · · · · · · · · ·
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)
rirrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)
Mangag with	1000 feet or more	( 0 points) 10
All the care in the case of the control of the species of the case of	Ranking Score (Total Points)	20 St. Mind on True to a doubt home pages
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indicate	e disposal location: (check the onsite box if you
are burying in place) onsite \( \text{Offsite} \) If offsite, name of facility	- 17	
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y		
Attach soil sample results and a diagram of sample locations and excavations	**	AT 1611 1 A 2
The drilling/reserve pit at the Frazzle Com #90 closure. The pit liner cut off		
are approx. 10' deep x 10' wide x 60' length with an average 3' slope and its of	the state of the s	
Dugan Production Corp. intends to follow NMOCD guidelines modified only as necessary to comply with stipulations imposed by the Bureau of Land Management.		
· · · · · · · · · · · · · · · · · · ·	, ij	
	· · · · · · · · · · · · · · · · · · ·	
	- Th	
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines , Date: April 3, 2007		
Printed Name/Title Mark Brown; Drilling Foreman Signat	The Just April to Mark &	own
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve the regulations.	t relieve the operator of liability should the contents of	the pit or tank contaminate ground water or
Approval: APPUTY OIL & GAS INSPECTOR, DIST.		Kanada and Andrews
Printed Name/Title 1/2 1/24 24 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25	Signature Brand Fell	Date: APR 0 6 2007
артын түртүү калдарда калан түртүнүн каланда тү		The same of the sa

educate all the conscious balanced para appears. [Tess area till a