FORM APPROVED FORM 3160-4 **UNITED STATES** (#:ugust 1999) OMB NO. 1004-0137 . DEPARTMENT OF THE INTERIOR Expires: November 30, 2000 5. LEAST DESIGNATION AND SERIAL NO. **BUREAU OF LAND MANAGEMENT** WELL COMPLETION OR RECOMPLETION REPORT: AND LOG SF-078988 1 a. Type of Well If Indian, Allottee or Tribe Name Oil Well X Gas Well Dry Other Diff. Resvr. X New Well Work Over b. Type of Completion: 7. Unit or CA Agreement Name and No. Other 2. Name of Operator Devon Energy Production Co. LP Attn: Kenny Rhoades 8. Lease Name and Well No. NEBU 323M 3. Address 1751 Highway 511 Navajo Dam, New Mexico 874794 5 6 API Well No. 30-045-31366 (Report loction clearly and in accordance with Federal requirements, Location of Well 0. Field and Pool, or Exploratory Basin Dakota SW 1845' FSL & 610' FWL Unit L At Surface Sec., T., R., M., on Block OIL CONS. DIV. Same Survey or Area At top prod. Interval reported below 6W 31N County or Parish 13. State At total depth Same San Juan 17. Elevations (DF, RKB, RT, GL)\* 16. Date Completed 6/3/ 14. Date Spudded 15. Date T.D. Reached 4/18/2003 5/4/2003 D & A 6311' GL 18. Total Depth: 7978' 19. Plug Back T.D.: 20. Depth Bridge Plug Set: MD MD TVD TVD 22. Was well cored? X No Yes (Submit Analysis) 22. Type of Electric & Other Mechanical Logs Run (Submit copy of each) X No Was DST run? Yes (Submit Report) Directional Survey? X Yes (Submit Copy) HRI-SDL-DSEN-GR SDL-DSEN-GR CBL-CCL-GR 23. Casing and Liner Record (Report all strings set in well) Slurry Vol. No. of Sks. & Stage Cementer Amount Pulled Hole Size Size Grade Wt. (#/ft.) Top (MD) Bottom (MD) Cement Top\* (BBL.) Type of Cement Depth 12-1/4" 9-5/8" I-40 32.3# 277 150 sx "B" 32 Surface n 8-3/4" st- 100 sx 50/50 Poz Foame 0 J-55 23# 0 3456 2776 64 3066 2nd- 460 sx 50/50 Poz 120 876 7978 600 sx 50/50 Poz 6-1/4 4-1/2" J-55 11.6# 0 157 2050 Ō 24. Tubing Record Packer Depth (MD) Depth Set (MD) Depth Set (MD) Size Depth Set (MD) Packer Depth (MD) Packer Depth (MD) Size Size 2-3/8 5838 26. Perforation Record 25. Producing Intervals Formation Bottom Perforated Interval No. Holes Perf. Status 7735 7866 7735'-7866' 0.33' Dakota Open 16 A) B) C)  $\overline{\mathbf{u}}$ E) F) G) Acid, Fracture, Treatment, Cement Squeeze, Etc Denth Interval Amount and Type of Material 7735'-7866' 1400 gals 15% HCL, 52,879 # 20/40 Econo-Prop sand, 52,248 gals gelled KCL 28. Production - Interval A Date First Water Production Method Date Tested Production BBL MCF BBL Gravity Production 6/13/03 6/14/03 0 2443 8 bbls Choke Tbg. Press. Csg. 24 Hr. Oil Gas Water Well Status Size Flwg. Press BBL MCF BBL Rate ACCEPTED FOR RECORD 2632 SI 815 SI 2443 8 bbls 0 Producing 28a. Production - Interval B Date First Test Hours Test Oil Gas Water Gas JUN 3 n 2003

(See instructions and spaces for additional data on reverse side)

Tested

Csg.

Press.

Tbg. Press.

Production

24 Hr

Rate

BBL

Oil

BBI.

MCF

Gas

MCF

BBL

Water

BBL

Production

Choke

Size

Gravity

Well Status

FARMINGTUN FIELD OFFICE

	*										
	ction - Interv	al C									
Date First	Test	Hours	Test	Oil	Gas	Water	Oil Gravity	Gas	Production Method		
Production	Date	Tested	Production	BBL	MCF	BBL	Con API	Gravity			
Choke	Tbg. Press.	Csg.	24 Hr.	Oil	Gas	Water	Oil Gravity	Well Status			
Size	Flwg.	Press.	Rate	BBL	MCF	BBL	Corr. API				
28c Produc	ction - Interv	al D		<u> </u>	<u> </u>	<del></del>	l				
Date First	Test	Hours	Test	Oil	Gas	Water	Oil Gravity	Gas	Production Method		
Production	Date	Tested	Production	BBL			Corr. API	Gravity			
Choke	Tbg. Press.	Csg.	24 Hr.			Well Status					
Size Flwg. Press.		Rate	BBL			Corr. API					
29. Disposition of Gas (Sold, used for fuel, vented, etc.)  Vented											
30. Summary of Porous Zones (Include Aquifers):  31. Formation (Log) Markers											
Show all important zones of porosity and contents thereof: Cored intervals and all drill stem											
tests, in							ut-in pressures				
		I	T -						Nome Top		
Formation		Тор	Bottom	۱	Descriptions, Contents, etc.				Name	Meas. Depth	
			1					•	Ojo Alamo	2234' 2350'	
									Fruitland 2808' Pictured Cliffs 3230'		
							-	1 ''	Lewis 3366'		
								Huer	Huerfanito Bentonite 4004'		
		İ							Chacra		
		İ	1						Menefee 5334'		
								Po	Point Lookout 5502'		
		l						ľ	Mancos 5922'		
		1							Gallup Greenhorn	6818' 7546'	
								Graneros 7597'			
				ŀ				Dakota 7719'			
		ł						В	Burro Canyon 7876'		
			}	Į.				_	Morrison 7930'		
			ŀ								
			ļ	1							
				ł							
32. Additional remarks (including plugging procedure):											
33. Circle e	enclosed attac	chments:									
1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Survey											
5. Sundry Notice for plugging and cement verification 6. Core Analysis 7. Other											
34. I hereby	y certify that	the foregoing	g and attached	1 information	ı is complet	e and correc	t as determined from	m all available record	ls (see attached instruction	ns)*	
Name (please print) Kenny Rhoades Title Company Representative											
/ 01 - 1											
Signature Los Know Date 6-24-03											
Date UCIUS											

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.