
Submit 3 Copies To Appropriate District Office	State of Nev	v Mexico	Form C-103
District 1	Energy, Minerals and	Natural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO. 30-045-28873
1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVAT	ION DIVISION	5. Indicate Type of Lease
District III	1220 South St.	Francis Dr.	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, N	M 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM			
87505 SINDRY NOTI	CES AND REPORTS ON W	FLLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPO	SALS TO DRILL OR TO DEEPEN (OR PLUG BACK TO A	,, boase runne of one right runne
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH			Ripley 26 (302859 Property Code)
PROPOSALS.) 1. Type of Well: Oil Well Gas Well Other			8. Well Number #3
2. Name of Operator			9. OGRID Number
Chevron Midcontinent, L.P. (2413	33)		241333
3. Address of Operator			10. Pool name or Wildcat
15 Smith Road, Midland, Texas 79	705 (c/o Alan W. Bohling	g, Rm 4205)	Basin Fruitland Coal (71629)
4. Well Location			
Unit Letter H_:	2195feet from theN	orth line and	805feet from theEastline
Section 26	Township 32-N	N Range 13-W	NMPM San Juan County
11. Elevation (Show whether DR, RKB, RT, GR, etc.)			
5897' GR			
Pit or Below-grade Tank Application 🛛 o			
	dwater_>100'Distance from near	est fresh water well_>100'	Distance from nearest surface water_>1000'
Pit Liner Thickness: mil Below-Grade Tank: Volume 95 bbls; Construction Material Steel			
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
PERFORM REMEDIAL WORK	PLUG AND ABANDON		
TEMPORARILY ABANDON	CHANGE PLANS		ILLING OPNS. P AND A
PULL OR ALTER CASING			
-			
OTHER: Install 95 Bbl Pit Tank & Upgrade Surface Facilities OTHER:			
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion			
or recompletion.			
or recompletion.			
In conjunction with planned and approved well work and installation of a DynaSave Pump (approved on 02/02/2007), Chevron			
Midcontinent, L.P. respectfully requests permission for the installation and modification of existing surface production facilities which			
includes installing dual flow lines, installing a 95 Bbl below grade Pit Tank for blow down and/or excess produced water, and other			
necessary meter and/or separator upgrade replacements and modifications. Current plans are to initiate this surface facilities work within			
the next week. This work will all reside on the current pad, thus no "new disturbances" are anticipated. Attached is a standard diagram of the Pit Tank for your use and review. Also attached is an e-copy of a C-144 for closure of a 95 Bbl Pit Tank in September, 2004. This			
now proposed Pit Tank will be replacing, in the same location, the 95 Bbl Pit Tank removed in 2004.			
Frebense and amount of the	······ 6 , ··· ···· ···· ···· ··· ··· ··· ··· ··		
	all and upgrade these surface	facilities will enhance the	e environmental and economic capabilities of
this well and lease. RCUD JUN4'07			
			OIL CONS. DIV.
			DIST. 3
			<i>D</i> 131. 0
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-			
grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan . SIGNATURE:			
SIGNATURE: Clark B	title Title	:Regulatory Agent	DATE:6/01/2007
Toma an unina manage Alex MI D 1	aline Tour 11 at a	A Dakiii - 🐼 T	comTelephone No432-687-7158
Type or print name:Alan W. Bol For State Use Only	ning E-mail address:		
	Ω	Deputy Oil	& Gas Inspector,
APPROVED BY: Branchen	Dough TIT	rle Di	& Gas Inspector, strict #3 DATE JUN 1 1 2007

Conditions of Approval (if any):



District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico

Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

SEP For downstream facilities, submit to Santa Fe office.

Pit or Below-Grade Tank Registration of Closure Is pit or below-grade tank covered by a "general plan"? Yes X No Type of action: Registration of a pit or below-grade tank \(\text{Closure of a pit or below-grade} \) Operator: HEC PETROLEUM C/O PURE RESOURCES RÉPURERESOURCES.COM Telephone: 432 498-8600 Address: 500 WEST ILLINOIS, MIDLAND, TEXAS 79701 API # 30-045-28873 U/L or Qtr/Qtr Sec 26 T 32N R 13W Facility or well name: RIPLEY 26 #3 County: SAN JUAN Latitude 36 57.583 Longitude 108 09.982 NAD: 1927 🔲 1983 🔲 Surface Owner Federal 🔲 State 🔲 Private 🔀 Indian 🗍 Pit Below-grade tank Type: Drilling Production Disposal Volume: 95 bbl Type of fluid: WATER/MOTOR OIL Construction material: STEEL Lined | Unlined | Double-walled, with leak detection? Yes \infty If not, explain why not. Liner type: Synthetic Thickness ____mil Clay ___ Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) water elevation of ground water.) 100 feet or more (0 points)◀ Ves (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points)◀ water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points)◀ Ranking Score (Total Points) 0 POINTS If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite \(\bigcirc\) offsite \(\bigcirc\) If offsite, name of facility_ . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, show depth below ground surface_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations. Additional Comments: I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🖾, a general permit 🗔, or an (attached) alternative OCD-approved plan 🔲. Date: 9/15/04 Printed Name/Title RON LECHWAR HES COORDINATOR m Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. SEP 22 2004 DETUTY OIL & CAS INSPECTOR, DIST. BOT Approval: Printed Name/Title