

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30 - 045 - 21995
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator Dugan Production Corporation		6. State Oil & Gas Lease No. NM - 25433
3. Address of Operator P.O. Box 420, Farmington, New Mexico 87499 - 0420		7. Lease Name or Unit Agreement Name Sixteen G's
4. Well Location Unit Letter <u>E</u> : <u>1850</u> feet from the <u>N</u> line and <u>990</u> feet from the <u>W</u> line Section <u>7</u> Township <u>24N</u> Range <u>9W</u> NMPM San Juan County		8. Well Number <u>1</u>
11. Elevation (Show whether DR, RKB, RT, GR, etc.)		9. OGRID Number
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>		
Pit type _____ Depth to Groundwater <u>>100</u> Distance from nearest fresh water well <u>>1000</u> Distance from nearest surface water <u>>1000</u>		
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: Landfarm Closure <input checked="" type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Closure of on-site landfarm constructed to remediate impacted soils from unlined pit.

RCVD JUL23'07
OIL CONS. DIV.
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Jeff Blagg TITLE Agent DATE 7/12/07

Type or print name Jeff Blagg
For State Use Only

E-mail address:

Telephone No. (505)325-1821

APPROVED BY: Brandt Ruff TITLE Deputy Oil & Gas Inspector, District #3 DATE JUL 24 2007
Conditions of Approval (if any):

30-045-21995

36.33099

* 107.83503

CLIENT: DUGANBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199

LOCATION NO: _____

C.D.C. NO: 2742

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: SIXTEEN G'S WELL #: 1 PITS: SEPDATE STARTED: 12/14/05DATE FINISHED: 6/3/07QUAD/UNIT: E SEC: 7 TWP: 24N RNG: 9W PM: NM CNTY: SJ ST: NMQTR/FOOTAGE: 1850FNL x 990FWL CONTRACTOR: DPCENVIRONMENTAL SPECIALIST: JCB

SOIL REMEDIATION:

REMEDICATION SYSTEM: LFAPPROX. CUBIC YARDAGE: 60±LAND USE: RANGELIFT DEPTH (ft): 0.5' ±

FIELD NOTES & REMARKS:


NMCD RANKING SCORE: 0 NMCD TPH CLOSURE STD: 5000 ppmDEPTH TO GROUNDWATER: >100 NEAREST WATER SOURCE: >1000 NEAREST SURFACE WATER: >1000SOIL TYPE: SAND / SILTY SAND SILT / SILTY CLAY / CLAY / GRAVEL / OTHER _____SOIL COLOR: TANCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSEPLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTICDENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARDMOISTURE DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION - _____HC ODOR DETECTED: YES / NO EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS): 3"-6" (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. _____

ADDITIONAL COMMENTS: _____

FIELD 418.1 CALCULATIONS

SAMP. TIME	SAMPLE I.D.	LAB No:	WEIGHT (g)	mL. FREON	DILUTION	READING	CALC. ppm

SKETCH/SAMPLE LOCATIONS



X = COMPOSITE SAMPLE POINT

OVM CALIB. READ: 52.8 ppm

OVM CALIB. GAS = 100 ppm; RF = 0.52

TIME: 100 am/pm DATE: 6/3

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE PID (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
10-Point	1.0	10-Point	8015	0745	420

SCALE



0 FT

TRAVEL NOTES: CALLOUT: _____

ONSITE: 6/3/07

revised. 07/16/01

bei1006A.skd

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Sixteen G's #1	Date Reported:	06-05-07
Laboratory Number:	41778	Date Sampled:	06-03-07
Chain of Custody No:	2742	Date Received:	06-04-07
Sample Matrix:	Soil	Date Extracted:	06-04-07
Preservative:	Cool	Date Analyzed:	06-05-07
Condition:	Cool & Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	420	0.1
Total Petroleum Hydrocarbons	420	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Various Landfarms 10-Point Composite**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Sixteen G's #1	Date Reported:	06-05-07
Laboratory Number:	41778	Date Sampled:	06-03-07
Chain of Custody:	2742	Date Received:	06-04-07
Sample Matrix:	Soil	Date Analyzed:	06-05-07
Preservative:	Cool	Date Extracted:	06-04-07
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	ND	1.7
Ethylbenzene	ND	1.5
p,m-Xylene	ND	2.2
o-Xylene	ND	1.0
Total BTEX	ND	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Various Landfarms 10-Point Composite


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Chloride

Client:	Blagg / Dugan	Project #:	94034-010
Sample ID:	Sixteen G's #1	Date Reported:	06-05-07
Lab ID#:	41778	Date Sampled:	06-03-07
Sample Matrix:	Soil	Date Received:	06-04-07
Preservative:	Cool	Date Analyzed:	06-05-07
Condition:	Cool and Intact	Chain of Custody:	2742

Parameter


Concentration (mg/Kg)


Total Chloride

54.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Various Landfarms 10-Point Composite


Analyst


Review