District I 1025 N. French Dr., Hobbs, NM 88240
District II 1301 W. Grand Avenue, Artesia, NM 88210
District III 1000 Rio Brogges Pend Agree NM 87410 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit	or Be	<u>low-G</u> 1	rade Ta	ank Re	egistratio:	n or	Closure
	1 1	1 .	1	1.1 66		10.37	TZ NT


	below-grade tank Closure of a pit or below-grade				
Operator:CDX RIO, LLCTelephone: (505) 326-3003 e-mail address: nancy.oltmanns	@cdxgas.com			
Address2010 Afton Place, Farmington, New Mexico 87401		_			
Facility or well name: _Jicarilla 147 #5FAPI #: _3					
County: _Rio Arriba Latitude_36.4162028 Longitude107	.403647 NAD· 1927 X□ 1983 □ Surface C	Owner Federal State Private Indian X RCVD MAY 10'07			
<u>Pit</u>	Below-grade tank	OIL CONS. DIV.			
Type: Drilling X ☐ Production ☐ Disposal ☐	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☐	Construction material:	DIST. 3			
Lined X Unlined U	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic Thickness 15mil Clay					
Pit Volume 22,000bbl					
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)			
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 10 points			
water elevation of ground water.)	100 feet or more	(0 points)			
	Yes	(20 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	No X	(0 points) 0 points			
water source, or less than 1000 feet from all other water sources)					
Distance to surface water. (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
	1000 feet or more	(0 points) 0 points			
	Ranking Score (Total Points)	10 points			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Indica	ate disposal location. (check the onsite box if you			
are burying in place) onsite X offsite I foffsite, name of facility	(3) Attach a general desc	cription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No X					
Attach soil sample results and a diagram of sample locations and excavations		(,			
Additional Comments: Water was evaporated. Pit was backfilled with dirt. F		it was closed 5-4-07			
Additional Comments. Water was evaporated. Tit was backfried with diff. I	it remediation was started approximately 4-20-07.11	it was closed 3-4-07			
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines	f my knowledge and belief. I further certify that the a general permit $X \square$, or an (attached) alternative	e above-described pit or below-grade tank has OCD-approved plan □.			
Printed Name/Title_Nancy OltmannsAgent	Signature Y Once	1 Oltmanns			
Your certification and NMOCD approval of this application/closure does no otherwise endanger public health or the environment. Nor does it relieve the regulations	operator of its responsibility for compliance with an	the pit or tank contaminate ground water or other federal, state, or local laws and/or			
Deputy Oil & Gas Inspecto	Γ,				
Approval: District #3		JUL 2 4 2007			
Printed Name/Title	Signature D3-16 D-U	Date: JOL 2 2000.			

CDX Rio, LLC 2010 Afton Place Farmington NM 87401 505-326-3003

Lease: Jic. 147

Well: Jicarilla 147 #5F

Location: SE/4, NW/4, S7 - T25N - R5W



General sealing of valve, sales by tank guaging:

Production phase: All drain valves (D1 and D2) and all sales valves (S1 and S2) are sealed closed.

Sales phase: The tank from which sales are being made will be isolated by sealing closed the drain valve, fill valve, and the equalizer valve during sales.

Draining phase: The tank being drained will be isolated by sealing closed the sales valve, fill valve, and equalizer valve during draining, and sales valve and drain valve on the other tank(s).