

4342

30-045-20309

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO


(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 28 Twp 26 Rng 9Name of Well/Wells or Pipeline Serviced HUERFANO UNIT #182cps 930wElevation 6492' Completion Date 7/24/75 Total Depth 550' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 265'Depths gas encountered: N/AType & amount of coke breeze used: 5600 lbs.Depths anodes placed: 490', 450', 440', 430', 420', 410', 360', 350', 300', 290'Depths vent pipes placed: N/AVent pipe perforations: 250'Remarks: qb #1.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

(MP)

Log

Drilling Log (Attach Hereto). ☐

Completion Date 7-24-75

Well Name Huerfano #182		Location NW 28-26N-9W		CPS No. 930 W																																													
Type & Size Bit Used 6 3/4"				Work Order No. 54606.19-50-20																																													
Anode Hole Depth 550	Total Drilling Rig Time	Total Lbs. Coke Used 5,600	Lost Circulation Mat'l Used	No. Sacks Mud Used																																													
<table border="1"> <tr> <td>Anode Depth</td> <td>#1 490</td> <td>#2 450</td> <td>#3 440</td> <td>#4 430</td> <td>#5 420</td> <td>#6 410</td> <td>#7 360</td> <td>#8 350</td> <td>#9 300</td> <td>#10 290</td> </tr> <tr> <td>Anode Output (Amps)</td> <td>#1 2.4</td> <td>#2 3.0</td> <td>#3 4.2</td> <td>#4 3.6</td> <td>#5 4.0</td> <td>#6 3.0</td> <td>#7 2.8</td> <td>#8 3.2</td> <td>#9 3.0</td> <td>#10 3.4</td> </tr> <tr> <td>Anode Depth</td> <td>#11</td> <td>#12</td> <td>#13</td> <td>#14</td> <td>#15</td> <td>#16</td> <td>#17</td> <td>#18</td> <td>#19</td> <td>#20</td> </tr> <tr> <td>Anode Output (Amps)</td> <td>#11</td> <td>#12</td> <td>#13</td> <td>#14</td> <td>#15</td> <td>#16</td> <td>#17</td> <td>#18</td> <td>#19</td> <td>#20</td> </tr> </table>						Anode Depth	#1 490	#2 450	#3 440	#4 430	#5 420	#6 410	#7 360	#8 350	#9 300	#10 290	Anode Output (Amps)	#1 2.4	#2 3.0	#3 4.2	#4 3.6	#5 4.0	#6 3.0	#7 2.8	#8 3.2	#9 3.0	#10 3.4	Anode Depth	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20	Anode Output (Amps)	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20
Anode Depth	#1 490	#2 450	#3 440	#4 430	#5 420	#6 410	#7 360	#8 350	#9 300	#10 290																																							
Anode Output (Amps)	#1 2.4	#2 3.0	#3 4.2	#4 3.6	#5 4.0	#6 3.0	#7 2.8	#8 3.2	#9 3.0	#10 3.4																																							
Anode Depth	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20																																							
Anode Output (Amps)	#11	#12	#13	#14	#15	#16	#17	#18	#19	#20																																							
Total Circuit Resistance Volts 11.8		Amps 14.5		Ohms 0.81																																													
		No. 8 C.P. Cable Used 4,240		No. 2 C.P. Cable Used																																													

Remarks: Drill With Air. Driller said water
AT 265' VENT HOSE PERFORATED 260'
Pay Total Depth Looking for shale


Drilled 1716.00
 Note 224.44
 Imp 213.40
 Wire 394.32
 Coke 336.00
 Anodes 244.60
 J Box 83.00
 Reel- 194.50
 Misc- 50.00

3476.46

All Construction Completed

E. Edward R. Paulch
 (Signature)

GROUND BED LAYOUT SKETCH



1545 1650

