

2A- 30-045- 23168

E

5- 30-045- 20353

8- 30-045- 20847

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 23 Twp 30 Rng 10

Name of Well/Wells or Pipeline Serviced RIDDLE B #5, #8, #2A

cps 1045w

Elevation 6207' Completion Date 6/12/75 Total Depth 310' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/a

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 120'

Depths gas encountered: N/A


Type & amount of coke breeze used: 3500 lbs.

Depths anodes placed: 245', 235', 225', 215', 205'

Depths vent pipes placed: N/A

Vent pipe perforations: 150'

Remarks: gb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Log 12

Drilling Log (Attach Hereto). ☐


Completion Date 6-12-75

Well Name RIDDLE B#5, #8, #2A		Location SE 23-30-10		CPS No. 1045W	
Type & Size Bit Used 6 3/4				Work Order No. 189-54627.19-50-2	
Anode Hole Depth 310	Total Drilling Rig Time	Total Lbs. Coke Used 3500	Lost Circulation Mat'l Used	No. Sacks Mud Used	
Anode Depth					
#1 245	#2 235	#3 225	#4 215	#5 205	#6
Anode Output (Amps)					
#1 4.2	#2 5.0	#3 5.0	#4 5.7	#5 4.6	#6
Anode Depth					
#11	#12	#13	#14	#15	#16
Anode Output (Amps)					
#11	#12	#13	#14	#15	#16
Total Circuit Resistance	No. 8 C.P. Cable Used				
Volts 12.5	Amps 13.5	Ohms 0.92	1275 Anodes 600 surface - 1875		

Remarks: Water Standing at 120' - Drill T.D. With Air
Vent Perforated 150
SLURRY 35 Sacks

Coke - 245.00
 Wire - 174.34
 Anodes - 132.30
 T Box - 83.00
 Misc - 50.00

GROUND BED LAYOUT SKETCH



All Construction Completed

Forrester
 (Signature)

SIGNED: Toolpusher

____ Company Supervisor