

E

142

1R - 30-045-23763
5 - 30-045-08693

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDAIN OIL Location: Unit SE Sec. 4 Twp 29 Rng 10
Name of Well/Wells or Pipeline Serviced FEUILLE A #5, #1R
cps 1026w
Elevation 5843' Completion Date 11/4/76 Total Depth 235' Land Type* N/A
Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 55'

Depths gas encountered: N/A
Type & amount of coke breeze used: 43 SACKS
Depths anodes placed: 210', 195', 180', 170', 140'
Depths vent pipes placed: N/A
Vent pipe perforations: 168'
Remarks: qb #2

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Logged

Drilling Log (Attach Hereto). ☐

Completion Date 11-4-76

Well Name FEUILLE A #5, #1R		Location SE4-29-10		CPS No. 1026W	
Type & Size Bit Used 6 3/4				Work Order No. 20679	
Anode Hole Depth Log 235	Total Drilling Rig Time	Total Lbs. Coke Used 43 SACKS	Lost Circulation Mat'l Used	No. Sacks Mud Used	
Anode Depth					
#1 210	#2 195	#3 180	#4 170	#5 140	#6
Anode Output (Amps)					
#1 4.2	#2 4.7	#3 5.1	#4 5.1	#5 5.2	#6
Anode Depth					
#11	#12	#13	#14	#15	#16
Anode Output (Amps)					
#11	#12	#13	#14	#15	#16
Total Circuit Resistance	No. 8 C.P. Cable Used		No. 2 C.P. Cable Used		
Volts 12.0	Amps 15.0	Ohms 0.80			

Remarks: **DRILLER SAID WATER @ 55'**

VENT PERF 168'

43 SACKS SLURRY

\$2,648.00
- 345.00 Depth Credit
82.25 Surf. Cable

2,385.25
95.41


2,480.66
258.00 Coke
213.40 Insp.
50.00 Misc

\$3,002.06

All Construction Completed

C. W. Hines
(Signature)

GROUND BED LAYOUT SKETCH



5843

LEASE

WELL NO. 1086 CONTRACTOR

RIG NO.

REPORT NO.

DATE 11-4-76 19

SIGNED: Toolpusher

Company Supervisor _____

Feuille A #5

SE-4-29-10

1026W

20679

MW	gals/mol	
16.04	C ₁	6.4
30.07	C ₂	10.12
44.10	C ₃	10.42
58.12	iC ₄	12.38
58.12	nC ₄	11.93
72.15	iC ₅	13.85
72.15	nC ₅	13.71
86.18	iC ₆	15.50
86.18	C ₆	15.57
100.21	iC ₇	17.2
100.21	C ₇	17.46
114.23	C ₈	19.39
28.05	C ₂ ⁺	9.64
42.08	C ₃ ⁺	9.67

MW	MISC. gals/mol	
32.00	O ₂	3.37
28.01	CO	4.19
44.01	CO ₂	6.38
64.06	SO ₂	5.50
34.08	H ₂ S	5.17
28.01	N ₂	4.16
2.02	H ₂	3.38

[illegible]