

#60 → 30-039-07501
#530 → 30-039-24797 4550

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 34 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #60, #530

cps 106w

Elevation 6449' Completion Date 12/28/62 Total Depth 165' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1105 lbs.

Depths anodes placed: 143', 137', 131', 125', 118', 112'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 & gb #2

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 12-28-62

WELL NAME SAN JUAN 29-7 #60

CPS NO. 106W

LOCATION 34-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 165

TOTAL DRILLING RIG TIME 12 HRS

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 143', #2 137', #3 131', #4 125' 5 118 6 112

TOTAL LBS. COKE USED 1105 lbs

ANODE OUTPUTS 11.8 VOLTS, #1 2.6, #2 2.8, #3 3.1, #4 2.8 5 2.76 2.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 7.2 OHMS 1.58 Ω

NUMBER FEET SURFACE CABLE CONDUIT 382'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static η s = .69 R 600' E.


4 Anodes = 2.2 Ω

5 Anodes = 1.88 Ω

ALL CONSTRUCTION COMPLETED

E. Paul
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1066

DAILY DRILLING REPORT

SPUD LOG 22-7 MILE

LEASE

WELL NO.

CONTRACTOR

RIG NO.

REPORT NO.

DATE

1961

MORNING

WELL NO.

CONTRACTOR

RIG NO.

REPORT NO.

DATE

1961

DAYLIGHT

EVENING

MORNING				DAYLIGHT				EVENING			
FROM	TO	FORMATION	W.B.T.	FROM	TO	FORMATION	W.B.T.	FROM	TO	FORMATION	W.B.T.
0	10.8	SHAL. L.S.S.	1549								
10.8	11.5	SHAL.									
11.5	13.1	SHAL.									
13.1	16.5	SHAL.									

	NO. DC	SIZE	LENG.
BIT NO.	NO. DC	SIZE	LENG.
SERIAL NO.	STANDS		
SIZE	SINGLES		
TYPE	DOWN ON KEELY		
MAKE	TOTAL DEPTH		
MUD RECORD	MUD ADDITIVES USED AND RECEIVED		

	NO. DC	SIZE	LENG.
BIT NO.	NO. DC	SIZE	LENG.
SERIAL NO.	STANDS		
SIZE	SINGLES		
TYPE	DOWN ON KEELY		
MAKE	TOTAL DEPTH		
MUD RECORD	MUD ADDITIVES USED AND RECEIVED		

	NO. DC	SIZE	LENG.
BIT NO.	NO. DC	SIZE	LENG.
SERIAL NO.	STANDS		
SIZE	SINGLES		
TYPE	DOWN ON KEELY		
MAKE	TOTAL DEPTH		
MUD RECORD	MUD ADDITIVES USED AND RECEIVED		