

2-30-045-08439

4578

8-30-045-21515

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 9 Twp 29 Rng 8Name of Well/Wells or Pipeline Serviced DAY #2, DAY #8cps 71wElevation 6442' Completion Date 6/22/64 Total Depth 470' Land Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/AIf Cement or Bentonite Plugs have been placed, show depths & amounts used
N/ADepths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/ADepths gas encountered: N/AType & amount of coke breeze used: 5850 lbs.Depths anodes placed: 420', 414', 408', 245', 239', 233', 227'Depths vent pipes placed: N/AVent pipe perforations: N/ARemarks: qb #2

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CATHODIC PROTECTION CONSTRUCTION REPORT

DAILY LOG

GND. BED No. 2

Date 6-22-64

Well Name DAY No. 2				CPS No. 71 W			
Location SK 9-29-8				Work Order No. 52053-90-54			
Anode Hole Depth 470	Total Drilling Rig Time 30 Hrs	Type & Size Bit Used 6 1/4 - 7706X = 365		No. Sacks Mud Used 15			
No. Sacks Lost Circulation Mat'l Used 0	Anode Depth						
	# 1 420	# 2 414	# 3 408	# 4 245	# 5 239	# 6 233	
Total Lbs. Coke Used 39 sks 5850	Anode Output (Volts)						
	# 1 2.0	# 2 2.1	# 3 2.0	# 4 2.7	# 5 3.4	# 6 3.3	
Total Circuit Resistance		No. Ft. Surface Cable Conduit					
Volts 11.8	Amps 6.6	Ohms 1.78	160				

Drilling Log (Attach Hereto) ☐

Remarks: 5 Anodes = 2.07 ~

Water No. 1 Gnd. Bed.

Rect.


0

GROUND BED LAYOUT SKETCH

All Construction Completed

Arrecks

(Signature)



EL PASO NATURAL GAS COMPANY
DRILLING DEPARTMENT

DAILY DRILLING REPORT

Sheet 1 of 2

LEASE: WELL NO. **DAY #2** CONTRACTOR **L.E. Wilson** RIG NO. **D-4** REPORT NO. **DATE 6-10-64** 1964

MORNING										EVENING									
Driller					Total Men-In Crew					Driller					Total Men-In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.
TOTAL 16 HRS BIT NO. 1706 SERIAL NO. 64 SIZE 6 1/2 TYPE ROCK & RETIP MAKE										NO. DC 1 SIZE 1 LENG. 1 NO. DC 1 SIZE 1 LENG. 1 STANDS 1 SINGLES 1 DOWN ON KELLY TOTAL DEPTH									
										NO. DC 1 SIZE 1 LENG. 1 NO. DC 1 SIZE 1 LENG. 1 STANDS 1 SINGLES 1 DOWN ON KELLY TOTAL DEPTH									
										NO. DC 1 SIZE 1 LENG. 1 NO. DC 1 SIZE 1 LENG. 1 STANDS 1 SINGLES 1 DOWN ON KELLY TOTAL DEPTH									
										NO. DC 1 SIZE 1 LENG. 1 NO. DC 1 SIZE 1 LENG. 1 STANDS 1 SINGLES 1 DOWN ON KELLY TOTAL DEPTH									
MUD RECORD Time 3 Vis WATER 3 LOADS WATER 3 MUD										MUD RECORD Time 14 Vis LOADS WATER 3 MUD									
FROM 0 TO 25 SAND 25 130 SHALE 130 145 SAND, STONE 185 365 SAND, STONE WITH SHALE STAINING AND WASHING OUT HOLE 10 HRS										FROM 185 TO 365 SAND, STONE WITH SHALE STAINING AND WASHING OUT HOLE 10 HRS									
REMARKS: LEFT YARD 6 AM - ARRIVED AT FIELD 7 AM WASH OUT HOLE ARRIVE LEFT LOCATION AT 11 AM MOVED TO DAY #2 DRILLED 185 FT LEFT FIELD AT 5 PM 6 HRS 6-10-64										REMARKS: LEFT YARD 6 AM - ARRIVED FIELD 7 AM DRILLED 17 FT COMPLETE MAKE-AT 2 PM 6-11-64									

SIGNED: Toolpusher

Company Supervisor

[Signature]

