

#6 → 30-045-09228
#1A → 30-045-2726 4568

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NW Sec. 29 Twp 30 Rng 9

Name of Well/Wells or Pipeline Serviced MANSFIELD #6, MANSFIELD #1A,
MANSFIELD COM #251 cps 65w

Elevation 6027' Completion Date 11/6/62 Total Depth 100' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 850 lbs.

Depths anodes placed: 85', 50', 44', 36', 24', 18'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1 y gb #2

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 11-6-62

WELL NAME Mans Field # 6 CPS NO. 654

LOCATION 29-30N-9W

WORK ORDER NUMBER 184-54224-50-20

ANODE HOLE DEPTH 100'

TOTAL DRILLING RIG TIME 5 hrs

Labor
DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Drill Bit #2

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 85', #2 50', #3 44', #4 36' #5 24' #6 18'

TOTAL LBS. COKE USED 850 lbs (40 sacks)

ANODE OUTPUTS 14.6 VOLTS, #1 2 A, #2 2 A, #3 2.8 A, #4 2.7 A #5 3.3 A #6 3.

TOTAL CIRCUIT RESISTANCE: VOLTS 14.4 AMPERES 8 OHMS 1.8-2

NUMBER FEET SURFACE CABLE CONDUIT 315' (602')

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{V}{I} = 815 R$ South Flow line NOT conn

4 Anodes = 2.8-2


5 Anodes = 2.1-2

ALL CONSTRUCTION COMPLETED

Paulk
SIGNATURE

GROUND BED LAYOUT SKETCH

N
↑



ORIGINAL & 1 COPY
ALL REPORTS

