

412: 30-039-20323

4476

496: 30-039-24870

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 35 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #4R, #496

194w

Elevation 6670' Completion Date 5/3/63 Total Depth 160' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1275 lbs.

Depths anodes placed: 140', 134', 105', 99', 93'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3 May 1963

WELL NAME San Juan 30-6 Unit # 4-35 CPS NO. 194W

LOCATION NE² Sec. 35 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 160

TOTAL DRILLING RIG TIME 5 1/2 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock K.M. 2800

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 140, #2 134, #3 105, #4 99 #5 93

TOTAL LBS. COKE USED 1275 15 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 3.3, #2 4.0, #3 3.5, #4 3.9 #5 4.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.7 AMPERES 8.5 OHMS 1.37


NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 605

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static γ_s 76 R 600' E

Good All Rectifier 28V 12A Ser. #62C6184



ALL CONSTRUCTION COMPLETED.

Forrester
SIGNATURE

GROUND BED LAYOUT SKETCH

ORIGINAL & 1 COPY
ALL REPORTS

1271

San Juan 30-6 Unit No 4

LEASE 35 from N.W. WELL NO.

CONTRACTOR J.E. Wilson

RIG NO. D-6

REPORT NO.

DATE May 21 1943

MORNING

DAYLIGHT

EVENING

Driller					Total Man In Crew					Driller					Total Man In Crew					Driller					Total Man In Crew				
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.
0	5	5444 ss	2000		48	48	55 ss	2000		115	131	145 ss	2000																
5	30	5444 ss			62	90	5444 ss			136	160	5444 ss																	
30	40	5444 ss			90	115	5444 ss																						
40																													
BIT NO.					NO. DC					NO. DC					NO. DC					NO. DC					NO. DC				
SERIAL NO.					STANDS					STANDS					STANDS					STANDS					STANDS				
SIZE					SINGLES					SINGLES					SINGLES					SINGLES					SINGLES				
TYPE					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY					DOWN ON KELLY				
MAKE					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH				
MUD RECORD					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED					MUD ADDITIVES USED AND RECEIVED				
Time	WT.	Vis.			Time	WT.	Vis.			Time	WT.	Vis.			Time	WT.	Vis.			Time	WT.	Vis.			Time	WT.	Vis.		
FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN		

REMARKS:

REMARKS:

REMARKS:

May 3 - Motor 3:30 started May 3:50 Bit 48 5:00 pulled 60' May 3 - bit old and field 6:00 pm drilled 100' finished hole 11:00

SIGNED Toolpusher

Company Supervisor

J. H. Howell