

30-045-21529

4488

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS  
NORTHWESTERN NEW MEXICO  
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 32 Twp 30 Rng 8

Name of Well/Wells or Pipeline Serviced CAPERTON #1,

CAPERTON COM #310, EPNG COM # 1R cps 32w

Elevation 6118 Completion Date 11/16/61 Total Depth 200' Land Type\* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1292 lbs.

Depths anodes placed: 150', 144', 118', 25', 19'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED

MAY 31 1991

OIL CON. DIV.  
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

\*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.  
If Federal or Indian, add Lease Number.

SAN JUAN DIVISION  
WELL CASING CATHODIC PROTECTION  
DAILY CONSTRUCTION  
PROGRESS REPORT

DATE 11-16-61

32w

WELL NAME - E.P.M. State #1 WORK ORDER NO. 184-52330-50-20

NUMBER AND DEPTH OF HOLES: #1 200', #2     , #3     , #4     , #5     .

DEPTH OF EACH ANODE: #1 150', #2 144', #3 118', #4 25', #5 19', #6     , #7       
#8     , #9     , #10     .

ANODE RESISTANCES: #1 6.8, #2 5.6, #3 6.8, #4 4.1, #5 4.3, #6     , #7       
#8     , #9     , #10     .

TOTAL CIRCUIT RESISTANCE: 2.0 OHMS.

DRILLING LOG: (ATTACH HERETO)

AMOUNT OF COKE BREEZE PLACED IN EACH HOLE: #1 12 92 165, #2     , #3       
#4     , #5     .

ANY DIFFICULTIES ENCOUNTERED IN DRILLING:

ROCKS-

LOST CIRCULATION-

CASING INSTALLED-

DATE ALL CONSTRUCTION COMPLETED                                 .

REMARKS:

*Logged anodes from 10' to 190' placed at  
lowest Readings*

*Trenching done*

*Cable layed and Backfilled*

*Edward R. Paulch*  
SIGNATURE OF INSPECTOR

E.P.M. STATE #1

LEASE		WELL NO.		CONTRACTOR <i>LIVINGSTON &amp; WILSON</i>		RIG NO. <i>402</i>		REPORT NO.		DATE <i>6-16-1967</i>							
MORNING						DAYLIGHT						EVENING					
Driller		Total Men In Crew				Driller		Total Men In Crew				Driller		Total Men In Crew			
FROM	TO	FORMATION	WT-BIT	R.P.M.		FROM	TO	FORMATION	WT-BIT	R.P.M.		FROM	TO	FORMATION	WT-BIT	R.P.M.	
<i>0</i>	<i>10</i>	<i>SANDSTONE</i>				<i>125</i>	<i>150</i>	<i>SANDSTONE</i>									
<i>10</i>	<i>40</i>	<i>BROWN CLAY</i>				<i>150</i>	<i>200</i>	<i>SHALE ???</i>									
<i>40</i>	<i>125</i>	<i>SANDSTONE</i>															
<i>125</i>		<i>SMALL STR. OF SHALE</i>															
BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC		SIZE	LENG.
SERIAL NO.		STANDS				SERIAL NO.		STANDS				SERIAL NO.		STANDS			
SIZE		SINGLES				SIZE		SINGLES				SIZE		SINGLES			
TYPE		DOWN ON KELLY				TYPE		DOWN ON KELLY				TYPE		DOWN ON KELLY			
MAKE		TOTAL DEPTH				MAKE		TOTAL DEPTH				MAKE		TOTAL DEPTH			
MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.				Time	Wt.	Vis.				Time	Wt.	Vis.			
FROM	TO	TIME BREAKDOWN				FROM	TO	TIME BREAKDOWN				FROM	TO	TIME BREAKDOWN			
<i>P.L.</i>	<i>Hole</i>	<i>978" 0-4</i>															
REMARKS -						REMARKS -						REMARKS -					
<i>1 SACK MUD.</i>																	

SIGNED: Toolpusher \_\_\_\_\_ Company Supervisor \_\_\_\_\_