

4469

30-039-60098

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 24 Twp 30 Rng 6

Name of Well/Wells or Pipeline Serviced SAN JUAN 30-6 UNIT #3

cps 191w

Elevation 6663' Completion Date 5/1/63 Total Depth 140' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 935 lbs.

Depths anodes placed: 118', 112', 106', 100', 94'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE May 1, 1963

WELL NAME San Juan 30-6 Unit 3-24 CPS NO. 191W

LOCATION SW² Sec. 24 T30N R6W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 140

TOTAL DRILLING RIG TIME 6 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 3495X

NUMBER SACKS MUD USED 4

NUMBER SACKS LOST CIRCULATION MAT'L USED 1

ANODE DEPTHS #1 118, #2 112, #3 106, #4 100 #5 94

TOTAL LBS. COKE USED 935 11 sacks

ANODE OUTPUTS 12.2 VOLTS, #1 3.0, #2 3.8, #3 4.0, #4 3.5 #5 3.5

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 7.8 OHMS 1.48

NUMBER FEET SURFACE CABLE CONDUIT 566

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static % .72 600' EAST


Good All Rectifier 28V 12A Ser. #62C6320

ALL CONSTRUCTION COMPLETED

Dorels

SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

1176'

DRILLING DEPARTMENT

DAILY DRILLING REPORT

5411-6 UNIT NO. 3-24

LEASE 30024 TRN 10 W. WELL NO.

CONTRACTOR *PCW/150W*

RIG NO. *D-6*

REPORT NO.

DATE *MAY 1*

19*63*

MORNING

DAYLIGHT

EVENING

Driller				Total Man In Crew				Driller				Total Man In Crew			
FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	FROM	TO	FORMATION	WT. BIT	R.P.M.	
0	20	560 ft. 140	3000		24	90	560 ft. 140	3000							
20	32	560 ft. 140	3000		90	140	560 ft. 140	3000							
32	75	560 ft. 140	3000												
75	84	560 ft. 140	3000												
BIT NO.				NO. DC				NO. DC				NO. DC			
SERIAL NO.				NO. DC				NO. DC				NO. DC			
SIZE				NO. DC				NO. DC				NO. DC			
TYPE				NO. DC				NO. DC				NO. DC			
MAKE				NO. DC				NO. DC				NO. DC			
MUD RECORD				NO. DC				NO. DC				NO. DC			
Time				NO. DC				NO. DC				NO. DC			
Vis				NO. DC				NO. DC				NO. DC			
TIME BREAKDOWN				NO. DC				NO. DC				NO. DC			
FROM				NO. DC				NO. DC				NO. DC			
TO				NO. DC				NO. DC				NO. DC			
REMARKS				NO. DC				NO. DC				NO. DC			

*Moved from San Juan 29-6 Unit 1927 at 8:30 AM started drilling 10:00 AM washing up bits
MAY 1 - Drilled 140' Finished Hole 2:30 PM at 20' 43 and 1 hole 13 and 2*

SIGNED: Toolpusher

Company Supervisor

D. H. K. K. K.