

4280

5-30-045-10280

14-30-045-24070

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO

(Submit 3 copies to OCD Aztec Office)

Operator TENNECO Location: Unit SW Sec. 26 Twp 31 Rng 10Name of Well/Wells or Pipeline Serviced ATLANTIC A #5, #14cps 381wElevation 6302' Completion Date 6/4/63 Total Depth 180' N/A and Type* N/ACasing, Sizes, Types & Depths N/AIf Casing is cemented, show amounts & types used N/AIf Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. N/ADepths gas encountered: N/AType & amount of coke breeze used: 1700 lbs.Depths anodes placed: 170', 164', 110', 104', 98', 80', 25'Depths vent pipes placed: N/AVent pipe perforations: N/ARemarks: qb #1 not a MERIDIAN well.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 6-4-63

WELL NAME ATLANTIC 5-A

CPS NO. 381 W

LOCATION 26-31N-10W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 180'

TOTAL DRILLING RIG TIME 8 1/2 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED _____

NUMBER SACKS MUD USED 4

NUMBER SACKS LOST CIRCULATION MAT'L USED 1

ANODE DEPTHS #1 170', #2 164', #3 110', #4 104' 5.98' 680' 7.25'

TOTAL LBS. COKE USED 1700 lbs 17 sacks

ANODE OUTPUTS 12 VOLTS, #1 2.0, #2 1.5, #3 1.8, #4 2.2 5.16 680'

TOTAL CIRCUIT RESISTANCE: VOLTS 11.4 AMPERES 6.2 OHMS 1.84

NUMBER FEET SURFACE CABLE CABLE 256' #8 solid

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static $\frac{9}{5} = .90 R$ 600' W


Installed Good-All 28V-12A Rect serial # 62C6058

All Anodes #8 solid

ALL CONSTRUCTION COMPLETED

E. Paub
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

[illegible]

SIGNED: Toolpusher

Company Supervisor