

30-039-07496

4814

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 32 Twp 29 Rng 7

Name of Well/Wells or Pipeline Serviced SAN JUAN 29-7 UNIT #31

cps 123w

Elevation 6578' Completion Date 12/18/62 Total Depth 155' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1020 lbs.

Depths anodes placed: 115', 88', 82', 76', 70'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 12-18-62

WELL NAME SAN JUAN 29-7 #31 CPS NO. 123W

LOCATION 32-29N-7W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 155

TOTAL DRILLING RIG TIME 8 hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 1

ANODE DEPTHS #1 115', #2 88', #3 82', #4 76' 5 70'

TOTAL LBS. COKE USED 1020 lbs 12 sacks

ANODE OUTPUTS 12 VOLTS, #1 2.7, #2 2.9, #3 2.7, #4 2.6 5 2.7

TOTAL CIRCUIT RESISTANCE: VOLTS 11.6 AMPERES 6.5 OHMS 1.78 Ω

NUMBER FEET SURFACE CABLE CONDUIT 485'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static η s = .79 R 600' E

4 Anodes = 2.05 Ω

ALL CONSTRUCTION COMPLETED

E. Paul
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

SP-1000-1-0031

DAILY DRILLING REPORT

LEASE

MORNING

WELL NO

CONTRACTOR

DAYLIGHT

RIG NO

REPORT NO

EVENING

DATE

1962

Driller *Wentzel*

TOOL MEASURE

Driller

TOOL MEASURE

Driller

TOOL MEASURE

FROM	TO	FORMATION	W.C.B.	DEPTH	W.C.B.	DEPTH	FORMATION	W.C.B.	DEPTH
0	10	CLAY	0.00	0.00	11.5	12.8	CLAY	0.00	0.00
10	45	CLAY	1.00	1.00	12.8	14.0	CLAY	1.00	1.00
45	115	CLAY	2.00	2.00	14.0	15.0	CLAY	2.00	2.00
115	115	CLAY	3.00	3.00	15.0	15.5	CLAY	3.00	3.00

BIT NO.	NO. OF	SIZE	LENG.	BIT NO.	NO. OF	SIZE	LENG.
71271	1	1 1/2	11.5	71271	1	1 1/2	11.5

TYPE	DOWN ON KELLY	TYPE	DOWN ON KELLY
W.C.B.	11.5	W.C.B.	11.5

TIME	W.C.	VIS.	TIME	W.C.	VIS.
11:00			11:00		

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

8185

REMARKS

REMARKS

REMARKS

Wentzel
Wentzel
Wentzel

SIGNED: Toolpusher

Company Supervisor

Mary A. Newcomb