

30-045-08507

5170

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SW Sec. 8 Twp 29 Rng 12

Name of Well/Wells or Pipeline Serviced HUDSON #3

cps 754w

Elevation 5606' Completion Date 5/13/66 Total Depth 270' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. 38', 225'

Depths gas encountered: N/A

Type & amount of coke breeze used: 38 SACKS

Depths anodes placed: 190', 184', 178', 172', 166', 150', 144', 138', 132', 95', 89', 8

Depths vent pipes placed: N/A

Vent pipe perforations: 150'

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON.

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date May 13, 1961


| | | | | | |
|---|---|--|--------------------------------|----------------|----------------|
| Well Name <u>HUDSON #3</u> | | | CPS No. <u>754W</u> | | |
| Location <u>SW 8 - 29.1 V</u> | | | Work Order No. <u>54322</u> | | |
| Anode Hole Depth <u>270'</u> | Total Drilling Rig Time <u>32 hr</u> | Type & Size Bit Used <u>7 7/8" #18269</u> <u>#703091</u> | No. Sacks Mud Used <u>1</u> | | |
| No. Sacks Lost Circulation Mat'l Used <u>0</u> | Anode Depth | | | | |
| | #1 <u>190'</u> | #2 <u>184'</u> | #3 <u>178'</u> | #4 <u>172'</u> | #5 <u>166'</u> |
| Total Lbs. Coke Used <u>38 sacks</u> | Anode Output (Volts) | | | | |
| | #1 <u>1.9</u> | #2 <u>2.4</u> | #3 <u>3.0</u> | #4 <u>3.5</u> | #5 <u>3.5</u> |
| Total Circuit Resistance | | | No. Ft. Surface Cable Connect | | |
| Volts <u>11.7</u> | Amps <u>8.8</u> | Ohms <u>8.9</u> | <u>1.3</u> | | |
| Drilling Log (Attach Hereto) <input checked="" type="checkbox"/> <u>#7-144 #8-138 #9-132 #10-98 #11-89 #12</u> <u>#7-2.7 #8-2.6 #9-2.2 #10-2.4 #11-3.5 #12</u> | | | | | |
| Remarks: | | | | | |

Bottom Vent anode #6

All Construction Completed

(Signature)

GROUND BED LAYOUT SKETCH



____ Company Supervisor