

30-045-08579

5171

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 8 Twp 29 Rng 12

Name of Well/Wells or Pipeline Serviced HUDSON #1

cps 753w

Elevation 5656' Completion Date 5/11/66 Total Depth 310' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 68'

Depths gas encountered: N/A


Type & amount of coke breeze used: 50 SACKS

Depths anodes placed: 270', 264', 205', 198', 190', 160', 154', 148', 100', 94', 88'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Date May 14, 1966


Well Name <u>HUDSON #1</u>				CPS No. <u>7536</u>			
Location <u>NE 8 - 29 - 12</u>				Work Order No. <u>54326</u>			
Anode Hole Depth <u>310'</u>		Total Drilling Rig Time <u>66 hrs</u>		Type & Size Bit Used <u>#37342</u> <u>7 5/8" #118514</u>		No. Sacks Mud Used <u>1</u>	
No. Sacks Lost Circulation Mat'l Used <u>0</u>		Anode Depth <u>#1 220'</u>		#2 <u>264'</u>		#3 <u>205'</u>	
		#4 <u>198'</u>		#5 <u>190'</u>		#6 <u>160'</u>	
Total Lbs. Coke Used <u>50 Sacks</u>		Anode Output (Volts)		#1 <u>2.6A</u>		#2 <u>3.2A</u>	
		#3 <u>3.1A</u>		#4 <u>3.4A</u>		#5 <u>3.0A</u>	
		#6 <u>3.3A</u>					
Total Circuit Resistance		No. Ft. Surface Cable Conduit					
Volts <u>12</u>		Amps <u>14</u>		Ohms <u>.85W</u>		<u>440</u> (<u>2513' total</u>)	
Drilling Log (Attach Hereto) ☒				<u>*7-154' *8-148' *9-100' *10-94' *11-88' *12-82'</u> <u>*7-3.2A *8-2.8A *9-2.9A *10-4.0A *11-4.6A *12-5.4</u>			
Remarks: <u>Station c/b R - .80V</u>							

~~All Construction Completed~~

[Signature]

(Signature)

GROUND BED LAYOUT SKETCH



LEASE

WELL NO. *Hudson* TRACTOR

RIGNO

REPORT NO.

DATE _____

10

[illegible]