

4818

30-045-08815

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 3 Twp 29 Rng 8

Name of Well/Wells or Pipeline Serviced HOWELL C #2

cps 125w

Elevation 6131' Completion Date 3/20/63 Total Depth 180' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A

Type & amount of coke breeze used: 1275 lbs.

Depths anodes placed: 140', 50', 44', 38', 32'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: gb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 3-20-63

WELL NAME Haskell No. 2-C CPS NO. 125W

LOCATION NE² Sec. 37 29N R8W

WORK ORDER NUMBER 184-40542-50-02

ANODE HOLE DEPTH 180

TOTAL DRILLING RIG TIME 7 Hrs.

DRILLING TIME FOR RECTIFIER POLE HOLE —

TYPE AND SIZE BIT USED 6 1/4 Rock - WM (Ser. 1540 138') & (Ser. 1547 42')

NUMBER SACKS MUD USED —

NUMBER SACKS LOST CIRCULATION MAT'L USED —

ANODE DEPTHS #1 140', #2 50', #3 44', #4 38' #5 32'

TOTAL LBS. COKE USED 1275 (15 sacks)

ANODE OUTPUTS 12.2 VOLTS, #1 2.6, #2 2.7, #3 3.4, #4 4.5 #5 3.6

TOTAL CIRCUIT RESISTANCE: VOLTS 11.8 AMPERES 8.3 OHMS 1.42~

NUMBER FEET SURFACE CABLE-CONDUIT 360

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).


REMARKS: Static Gs .89 R 600' SE

Installed Good All Rectifier 28V 12A

Ser. 626322 C.P.S. No. 125W Assigned.

ALL CONSTRUCTION COMPLETED

Corrals
SIGNATURE



Well
ORIGINAL & 1 COPY
ALL REPORTS

744'

Howell No. 22

LEASE 23-7-00 R-110 WELL NO.

CONTRACTOR

J.E. Wilson

RIG NO. DC

REPORT NO.

DATE MAR 20 1965

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller				Total Men In Crew							
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.					
0	25	5400-55	200		07	100	5400-55	200											
25	34	5400-55	200																
34	138	5400-55	200																
138	137	5400-55	200																
11:28 137 1																			
BIT NO.	NO. DC			SIZE	LENG.	BIT NO.	NO. DC			SIZE	LENG.	BIT NO.	NO. DC			SIZE	LENG.		
SER. NO.	NO. DC			SIZE	LENG.	SER. NO.	NO. DC			SIZE	LENG.	SER. NO.	NO. DC			SIZE	LENG.		
SIZE	SINGLES			DOWN ON KELLY	TOTAL DEPTH	SIZE	SINGLES			DOWN ON KELLY	TOTAL DEPTH	SIZE	SINGLES			DOWN ON KELLY	TOTAL DEPTH		
TYPE	MAKE			MUD. RECORD		TYPE	MAKE			MUD. RECORD		TYPE	MAKE			MUD. RECORD			
MAKE	MUD. ADDITIVES USED AND RECEIVED			TOTAL DEPTH		MAKE	MUD. ADDITIVES USED AND RECEIVED			TOTAL DEPTH		MAKE	MUD. ADDITIVES USED AND RECEIVED			TOTAL DEPTH			
TIME	WT.	VIS.	TIME BREAKDOWN			TIME	WT.	VIS.	TIME BREAKDOWN			TIME	WT.	VIS.	TIME BREAKDOWN				
FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN			FROM	TO	TIME BREAKDOWN		
REMARKS -				REMARKS -				REMARKS -				REMARKS -				REMARKS -			

SIGNED: Toolpusher

Company Supervisor

moving J.E. Wilson

2 Good note

7485

7485