

#2 30-045-07461

#10 30-045-21165

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 17 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced TAPP #2, #10

cps 548w

Elevation 5891' Completion Date 4/10/64 Total Depth 250' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used

20' CEMENT

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 150'

Depths gas encountered: 150'

Type & amount of coke breeze used: 2625 lbs.

Depths anodes placed: 230', 224', 218', 212', 206'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qb #1

RECEIVED
MAY 31 1991
OIL CON. DIV.
DIST. 3

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 4-10-64

WELL NAME Tapp No. 2 CPS NO. 548-W

LOCATION NE² 17-28-8

WORK ORDER NUMBER 20027

ANODE HOLE DEPTH 250'

TOTAL DRILLING RIG TIME 10 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. # 7498

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 230, #2 224, #3 218, #4 212 5 206

TOTAL LBS. COKE USED 2625 (21 sacks)

ANODE OUTPUTS 11.8 VOLTS, #1 4.8, #2 4.5, #3 4.5, #4 4.2 5 4.0

TOTAL CIRCUIT RESISTANCE: VOLTS 11.3 AMPERES 10.0 OHMS 1.13

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 449

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static /s. 600 R.N. .82

PEM Rect. 28-12 Ser. # 637221

Note - Hole making a little water with


Small Amount of Gas. Left Coke 20' Down from Top

ALL CONSTRUCTION COMPLETED

[Signature]
SIGNATURE

20'
Cement

ROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

B-16R

1579'

DAILY DRILLING REPORT

LEASE TAPP WELL NO. 2 CONTRACTOR A.E. Wilson RIG NO. P-6 REPORT NO. 4-710 DATE 4-27-64 1964

MORNING

DAYLIGHT

EVENING

Driller				Total Men In Crew				Driller			
FROM	TO	FORMATION	WT-BIT	R.P.M.	WT-BIT	FORMATION	TO	FROM	TO	FORMATION	R.P.M.
0'	36'	SS			145'	200'	SS				
35'	75'	SA			200'	250'	SS				
75'	120'	SS									
120'	155'	SC									
BIT NO.				NO. DC				NO. DC			
SERIAL NO.				SIZE				SIZE			
SIZE				STANDS				STANDS			
TYPE				SINGLES				SINGLES			
MAKE				DOWN ON KELLY				DOWN ON KELLY			
MUD RECORD				TOTAL DEPTH				TOTAL DEPTH			
MUD, ADDITIVES USED AND RECEIVED				MUD, ADDITIVES USED AND RECEIVED				MUD, ADDITIVES USED AND RECEIVED			
Time	WT.	Vis.		Time	WT.	Vis.		Time	WT.	Vis.	

RIG TIME 10 HR											
FROM	TO	FORMATION	WT-BIT	R.P.M.	WT-BIT	FORMATION	TO	FROM	TO	FORMATION	R.P.M.

4-27-64	LEFT LAST LOCATION 10:30 AM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM
4-27-64	LEFT LAST LOCATION 10:30 AM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM
4-27-64	LEFT LAST LOCATION 10:30 AM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM
4-27-64	LEFT LAST LOCATION 10:30 AM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM	LEFT RH AT 6:00 PM

RIG TIME 10 HR											
FROM	TO	FORMATION	WT-BIT	R.P.M.	WT-BIT	FORMATION	TO	FROM	TO	FORMATION	R.P.M.

RIG TIME 10 HR											
FROM	TO	FORMATION	WT-BIT	R.P.M.	WT-BIT	FORMATION	TO	FROM	TO	FORMATION	R.P.M.

SIGNED: Toolpusher

SIGNED: Supervisor