

#2 30-045-21994
#16 30-045-22073

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit NE Sec. 31 Twp 32 Rng 10

Name of Well/Wells or Pipeline Serviced SCOTT #2, #16

cps 519w

Elevation 6081' Completion Date 5/1/64 Total Depth 160' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:
Fresh, Clear, Salty, Sulphur, Etc. N/A

Depths gas encountered: N/A


Type & amount of coke breeze used: 1875 lbs.

Depths anodes placed: 135', 129', 123', 117', 111'

Depths vent pipes placed: N/A

Vent pipe perforations: N/A

Remarks: qgb: #1



If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

DATE 5-1-64

WELL NAME Scott No. 2

CPS NO. 519-W

LOCATION NE 31-32-10

WORK ORDER NUMBER 52059

ANODE HOLE DEPTH 160'

TOTAL DRILLING RIG TIME 8 Hrs

DRILLING TIME FOR RECTIFIER POLE HOLE 0

TYPE AND SIZE BIT USED 6 1/4 Rock W.M. 7705

NUMBER SACKS MUD USED 0

NUMBER SACKS LOST CIRCULATION MAT'L USED 0

ANODE DEPTHS #1 135, #2 129, #3 123, #4 117 5 11L

TOTAL LBS. COKE USED 1875 (15 sacks)

ANODE OUTPUTS 12.0 VOLTS, #1 3.5, #2 4.1, #3 3.7, #4 4.0 54.2

TOTAL CIRCUIT RESISTANCE: VOLTS 11.2 AMPERES 9.0 OHMS 1.24

NUMBER FEET SURFACE CABLE ~~CONDUIT~~ 284'

DRILLING LOG (ATTACH HERETO).

FORMATION LOG (ATTACH HERETO).

REMARKS: Static c/s - 76 R. 600' N.

P.E.M. 28-12 Ser. # 637226

ALL CONSTRUCTION COMPLETED

Barrel
SIGNATURE

GROUND BED LAYOUT SKETCH



ORIGINAL & 1 COPY
ALL REPORTS

919'

LEASE **SCOTT** WELL NO. **2** CONTRACTOR **K.F. WILSON** RIG NO. **D-6** REPORT NO. **46-2845-1** DATE **1964**

MORNING										DAYLIGHT										EVENING									
Driller					Total Men In Crew					Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.															
0	30	SC																											
30	95	SS																											
95	146	SK																											
146	160	SC																											
BIT NO.					NO. DC					SIZE					LENG.														
SERIAL NO.					NO. DC					SIZE					LENG.														
SIZE					STANDS					SINGLES					STANDS														
TYPE					DOWN ON KELLY					SINGLES					DOWN ON KELLY														
MAKE					TOTAL DEPTH					TOTAL DEPTH					TOTAL DEPTH														
MUD RECORD					MUD, ADDITIVES USED AND RECEIVED					MUD RECORD					MUD, ADDITIVES USED AND RECEIVED														
Time					Wt.					Vis.					Time					Wt.					Vis.				
FROM					TO					TIME BREAKDOWN					FROM					TO					TIME BREAKDOWN				
4-28-64 FINISHED LAST HOLE AT 3:00 PM										5 AM MOVE RIG UP TIME																			
LEFT RIG AT 5:00 PM																													
LEFT YARD AT 6:00 AM ARRIVED AT LOCATION AT 7:00 AM																													
FINISHED HOLE AT 1:00 PM																													
REMARKS -										REMARKS -										REMARKS -									
4-28-64 DRILLED FROM 0' TO 40'																													
4-1-64 DRILLED FROM 40' TO 160' FINISHED HOLE AT 1:00 PM																													

Oil Barrel

SIGNED: Toolpusher