

#1 30-045-07542
#2 30-045-21155
#2 30-045-9757

DATA SHEET FOR DEEP GROUND BED CATHODIC PROTECTION WELLS
NORTHWESTERN NEW MEXICO
(Submit 3 copies to OCD Aztec Office)

Operator MERIDIAN OIL Location: Unit SE Sec. 7 Twp 28 Rng 8

Name of Well/Wells or Pipeline Serviced RIDDLE G #1, #2

cps 469w

Elevation 5753' Completion Date 10/8/73 Total Depth 300' Land Type* N/A

Casing, Sizes, Types & Depths N/A

If Casing is cemented, show amounts & types used N/A

If Cement or Bentonite Plugs have been placed, show depths & amounts used
N/A

Depths & thickness of water zones with description of water when possible:

Fresh, Clear, Salty, Sulphur, Etc. 60'

RECEIVED
MAY 31 1991

Depths gas encountered: N/A OIL CON. DIV.

DIST. 3

Type & amount of coke breeze used: 5100 lbs.

Depths anodes placed: 275', 240', 220', 210', 195', 185', 170', 160', 140', 120'

Depths vent pipes placed: N/A

Vent pipe perforations: 237'

Remarks: gb. #2

If any of the above data is unavailable, please indicate so. Copies of all logs, including Drillers Log, Water Analyses & Well Bore Schematics should be submitted when available. Unplugged abandoned wells are to be included.

*Land Type may be shown: F-Federal; I-Indian; S-State; P-Fee.
If Federal or Indian, add Lease Number.

WELL CASING
CATHODIC PROTECTION CONSTRUCTION REPORT
DAILY LOG

Drilling Log (Attach Hereto). ☐

Completion Date 10-8-73



Well Name Riddle "G" #1		Location SE 7-28-8		CPS No. 469W	
Type & Size Bit Used 6 3/4				Work Order No. 90108	
Anode Hole Depth 300	Total Drilling Rig Time	Total Lbs. Coke Used 5,100	Lost Circulation Mat'l Used	No. Sacks Mud Used	
Anode Depth					
# 1 275	# 2 240	# 3 220	# 4 210	# 5 195	# 6 185
# 7 170	# 8 160	# 9 140	# 10 120		
Anode Output (Amps)					
# 1 3.7	# 2 4.7	# 3 4.8	# 4 5.2	# 5 4.5	# 6 4.7
# 7 4.9	# 8 4.8	# 9 4.8	# 10 4.5		
Anode Depth					
# 11	# 12	# 13	# 14	# 15	# 16
Anode Output (Amps)					
# 11 *	# 12	# 13	# 14	# 15	# 16
Total Circuit Resistance					
Volts 11.9	Amps 17.0	Ohms 0.70	No. 8 C.P. Cable Used 86'		No. 2 C.P. Cable Used

Remarks: Driller Said Blew water out of hole at 60'
Water Standing Next Morning at 20'
Vent Perforated 237'
Pump 51 Sacks Coke

All Construction Completed

Arrels
(Signature)

GROUND BED LAYOUT SKETCH



5,533.00
 327.80
 16.20
 5,633.80
 2,333.80
 73.35
 2,427.15

C.P.S. # 469

DAILY DRILLING REPORT

LEASE <i>Riddle</i>	WELL NO. <i>C#1</i>	CONTRACTOR <i>Morson</i>	RIG NO. <i>1</i>	REPORT NO.	DATE <i>10-8</i>	19 <i>73</i>
---------------------	---------------------	--------------------------	------------------	------------	------------------	--------------

Driller					Total Men In Crew					Driller					Total Men In Crew				
FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.	FROM	TO	FORMATION	WT-BIT	R.P.M.					
0	40	dry sand			280	300	sand												
40	60	wt sand water																	
60	100	sand																	
100	280	shale																	

BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC		SIZE	LENG.	BIT NO.		NO. DC		SIZE	LENG.
SERIAL NO.		NO. DC		SIZE	LENG.	SERIAL NO.		NO. DC		SIZE	LENG.	SERIAL NO.		NO. DC		SIZE	LENG.
SIZE		STANDS				SIZE		STANDS				SIZE		STANDS			
TYPE		SINGLES				TYPE		SINGLES				TYPE		SINGLES			
MAKE		DOWN ON KELLY				MAKE		DOWN ON KELLY				MAKE		DOWN ON KELLY			
TOTAL DEPTH						TOTAL DEPTH						TOTAL DEPTH					

MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED			MUD RECORD			MUD, ADDITIVES USED AND RECEIVED		
Time	Wt.	Vis.				Time	Wt.	Vis.				Time	Wt.	Vis.			

FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN	FROM	TO	TIME BREAKDOWN

REMARKS - <i>blow water out of hole @ 60 ft.</i>	REMARKS -	REMARKS -

SIGNED: Toolpusher *Joe Morson* Company Supervisor _____

