1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico **Energy Minerals and Natural Resources**

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes No

	or below-grade tank \( \begin{array}{ll} \text{Closure of a pit or below-} \\ \end{array}					
BP AMERICA PROD. CO	Talankara (505)-326-9200	mail addraga				
Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: Address: 200 ENERGY COURT, FARMINGTON, NM 87410						
	API #: 30-045- 07425 U/L or Q	otr/Otr L Sec 15 T	28N R 8W			
County: SAN JUAN Latitude 36.65866 Longitude 10	77.67398 NAD: 1927 ☐ 1983 ⊠ Surface					
County	17.10. 1927   1909   Surface	Owner reactar M State 11	TVate C Internal C			
Pit	Below-grade tank					
Type: Drilling Production Disposal BLOW	Volume:bb!-Type of fluid: Construction materia:					
Workover ☐ Emergency ☐						
Lined Unlined STEEL TANK	Double-walled, with leak extection? Yes I If	nt, explain why not.				
Liner type: Synthetic Thicknessmil Clay [						
Pit Volumebbl						
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	20			
ingh water crovation of ground water.)	100 feet or more	( 0 points)				
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)				
water source, or less than 1000 feet from all other water sources.)	No	( 0 points)	0			
water sources, or test man 1000 feet from an other water sources.)	Leadhar 200 fact	(20 maints)				
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet 200 feet or more, but less than 1000 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(10 points) ( 0 points)	10			
	1000 leet of more	( v points)				
	Ranking Score (Total Points)		30			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite offsite. If offsite, name of facility						
Additional Comments. PIT LOCATED APPROXIMATEL	y 153 ft. S25W from v	VELL HEAD.				
PIT EXCAVATION: WIDTH N/Aft LENGTH						
PIT REMEDIATION: CLOSE AS IS: ⊠, LANDFARM: □, C	COMPOST: []. STOCKPILE: [], OTHER []	(explain) RCVD APR	5'07			
Cubic yards: N/A		OIL CONS.	DTH			
	1	UIL GUND.	UIV.			
		DIST.	3			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\extstyle \), a general permit \(\propto \), or an alternative OCD-approved plan \(\extstyle \).  Date:						
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature						
Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	1		-			
Approval: Deputy Oil & Gas Inspector Printed Name/Title District #3 Si	or, gnature BLL SM	Date: AUG 0	1 2007			



## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 8'	Date Reported:	04-13-06
Laboratory Number:	36762	Date Sampled:	04-12-06
Chain of Custody No:	14624	Date Received:	04-12-06
Sample Matrix:	Soil	Date Extracted:	04-12-06
Preservative:	Cool	Date Analyzed:	04-13-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments: Tapp LS #3 Blow Pit Grab Sample.

Analyst C. Oplus

Mister m Waster Review