

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: \_\_\_\_\_  
Address: 200 ENERGY COURT, FARMINGTON, NM 87410  
Facility or well name: STATE GC I #1 API #: 30-045- 08694 U/L or Qtr/Qtr K Sec 2 T 29N R 9W  
County: SAN JUAN Latitude 36.75140 Longitude 107.75188 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☐ State ☒ Private ☐ Indian ☐

RCVD APR5'07

Pit	Below-grade tank
Type: Drilling <input type="checkbox"/> Production <input type="checkbox"/> Disposal <input checked="" type="checkbox"/> ABANDON Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input type="checkbox"/> Unlined <input checked="" type="checkbox"/> Liner type: Synthetic <input type="checkbox"/> Thickness _____ mil Clay <input type="checkbox"/> Pit Volume _____ bbl	Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. _____
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) <b>0</b> 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points) <b>0</b>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) <b>0</b> 1000 feet or more (0 points)
Ranking Score (Total Points) <b>0</b>	

OIL CONS. DIV.  
DIST. 3

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments PIT LOCATED APPROXIMATELY 165 FT. N65E FROM WELL HEAD.

PIT EXCAVATION: WIDTH N/Aft., LENGTH N/Aft., DEPTH N/Aft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: N/A

BEDROCK BOTTOM

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 01/19/06

PrintedName/Title Jeff Blagg - P.E. # 11607

Signature \_\_\_\_\_

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.




Approval: Deputy Oil & Gas Inspector,  
District #3

Printed Name/Title \_\_\_\_\_

Signature \_\_\_\_\_

Date: \_\_\_\_\_

AUG 02 2007

CLIENT: <u>BP</u>	<b>BLAGG ENGINEERING, INC.</b> <b>P.O. BOX 87, BLOOMFIELD, NM 87413</b> <b>(505) 632-1199</b>	LOCATION NO: <u>81748</u> COCR NO: <u>15390</u>																																
<b>FIELD REPORT: PIT CLOSURE VERIFICATION</b>		PAGE No: <u>1</u> of <u>1</u>																																
LOCATION: NAME: <u>STATE GC I</u> WELL #: <u>1</u> TYPE: <u>ABANDON</u> QUAD/UNIT <u>K</u> SEC: <u>2</u> TWP: <u>29N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>ST</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1825 FSL x 1560 FWL NEISW</u> CONTRACTOR: <u>PXS (F.m.c.s)</u>		DATE STARTED <u>1-17-06</u> DATE FINISHED <u>1-17-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>																																
EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u>																																		
DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u>																																		
LAND USE: <u>RANGE</u> LEASE: <u>ANMOT3378 STATE</u> FORMATION: <u>MV</u>																																		
FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>165</u> FT. <u>N65E</u> FROM WELLHEAD.																																		
DEPTH TO GROUNDWATER: <u>&gt;100</u> NEAREST WATER SOURCE: <u>&gt;1000</u> NEAREST SURFACE WATER: <u>&gt;1000</u>																																		
NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM																																		
SOIL AND EXCAVATION DESCRIPTION:		OVM CALIB READ. = <u>52.6</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0935</u> (am/pm) DATE: <u>1-17-06</u>																																
SOIL TYPE SAND <u>(SILTY SAND)</u> / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER <u>BEDROCK SANDSTONE @ 4'</u>																																		
SOIL COLOR: <u>Light Tan</u>																																		
COHESION (ALL OTHERS): NON COHESIVE / <u>(SLIGHTLY COHESIVE)</u> / COHESIVE / HIGHLY COHESIVE																																		
CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>(FIRM)</u> / DENSE / VERY DENSE																																		
PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC																																		
DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD																																		
MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED																																		
DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> NO EXPLANATION - <u>Gray stain on Sandstone surface @ 8'</u>																																		
HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>MINOR</u>																																		
SAMPLE TYPE GRAB / <u>(COMPOSITE)</u> # OF PTS. <u>5</u>																																		
ADDITIONAL COMMENTS: <u>18' x 18' x 7' Deep Abandon Earth Pit</u> <u>Best dig into sandstone. Use Backhoe to</u> <u>collect soil samples</u> <div style="border: 1px solid black; padding: 2px; display: inline-block;">BEDROCK bottom</div>																																		
FIELD 418.1 CALCULATIONS																																		
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table>			SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																								
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)																											
SCALE  0 15 FT N		PIT PERIMETER 																																
OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>5-POINT</td><td>76</td></tr> <tr><td>Composite</td><td> </td></tr> <tr><td>@ 8'</td><td> </td></tr> </tbody> </table>		SAMPLE ID	FIELD HEADSPACE (ppm)	1 @		2 @		3 @		4 @		5 @		5-POINT	76	Composite		@ 8'		PIT PROFILE 														
SAMPLE ID	FIELD HEADSPACE (ppm)																																	
1 @																																		
2 @																																		
3 @																																		
4 @																																		
5 @																																		
5-POINT	76																																	
Composite																																		
@ 8'																																		
LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>5-POINT</td><td>76</td><td>1415</td></tr> <tr><td>13E</td><td> </td><td> </td></tr> <tr><td>CL</td><td> </td><td> </td></tr> <tr><td colspan="3" style="text-align: center;"><u>PASSED</u></td></tr> </tbody> </table>		SAMPLE ID	ANALYSIS	TIME	5-POINT	76	1415	13E			CL			<u>PASSED</u>																				
SAMPLE ID	ANALYSIS	TIME																																
5-POINT	76	1415																																
13E																																		
CL																																		
<u>PASSED</u>																																		
P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW T.H. = TEST HOLE, ~ = APPROX.; T.B. = TANK BOTTOM																																		
TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>1-17-06</u>																																		

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point @ 8'	Date Reported:	01-19-06
Laboratory Number:	35777	Date Sampled:	01-17-06
Chain of Custody No:	15390	Date Received:	01-17-06
Sample Matrix:	Soil	Date Extracted:	01-17-06
Preservative:	Cool	Date Analyzed:	01-19-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	4.5	0.2
Diesel Range (C10 - C28)	94.2	0.1
Total Petroleum Hydrocarbons	98.7	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **State GC I #1 Abandon Pit.**

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point @ 8'	Date Reported:	01-19-06
Laboratory Number:	35777	Date Sampled:	01-17-06
Chain of Custody:	15390	Date Received:	01-17-06
Sample Matrix:	Soil	Date Analyzed:	01-19-06
Preservative:	Cool	Date Extracted:	01-17-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	ND	1.8
Toluene	68.8	1.7
Ethylbenzene	15.6	1.5
p,m-Xylene	242	2.2
o-Xylene	71.6	1.0
Total BTEX	398	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97.0 %
	1,4-difluorobenzene	97.0 %
	Bromochlorobenzene	97.0 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: State GC I #1 Abandon Pit.

  
Analyst

  
Review

# ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

## Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	5-Point @ 8'	Date Reported:	01-18-06
Lab ID#:	35777	Date Sampled:	01-17-06
Sample Matrix:	Soil	Date Received:	01-17-06
Preservative:	Cool	Date Analyzed:	01-18-06
Condition:	Cool and Intact	Chain of Custody:	15390


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

76.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: State GC I #1 Abandon Pit.

  
Analyst

  
Review