

Submit 3 Copies To Appropriate District Office

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Ave., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

Form C-103
Revised June 10, 2003

WELL API NO.

30-045-29401

5. Indicate Type of Lease

STATE ☐ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Federal State Com

8. Well Number

2

9. OGRID Number

131994

10. Pool name or Wildcat

Blanco Mesaverde

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Four Star Oil and Gas Company

3. Address of Operator

11111 S. Wilcrest Houston, Texas 77099

4. Well Location

Unit Letter O : 1120 feet from the South line and 1605 feet from the East line

Section 32

Township 30N

Range 11W

NMPM

San Juan County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)

5893' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Four Star Oil and Gas intends to perforate and fracture the Basin Fruitland as follows:

MIRU Workover Rig. ND wellhead and NU BOP and pressure test same. Kill well, and POOH with 2 3/8" tubing.

Set Bridge Plug at 2200'. Test to 2000 psi.

Perforate the Fruitland Coal from 1918'-2107' with two (2) shots per foot adding 140 holes.

Pre-treat the formation with 2,000 gals 2% KCL, and fracture treat the formation with 25,062 gallons Halliburton Deltafoam and 175,000 lbs 16/30 Brady sand.

Following treatment flush formation with 1039 gals 2% KCL.

Flow and clean up well. PU 3 7/8" bit and 2 3/8" tubing. Circulate clean to PBTD at 2200' and POOH with tubing. RIH with production string. EOT to be 2175. RIH with pump and 3/4" sucker rods. ND BOP. NU wellhead. RDMO workover rig.

Hook well up to sales and place well on production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Kenneth W. Jackson TITLE Regulatory Specialist DATE 09/17/03

Type or print name Kenneth W. Jackson E-mail address: kewj@chevrontexaco.com Telephone No. (281) 561-4991

(This space for State use)

APPROVED BY [Signature] TITLE DEPUTY OIL & GAS INSPECTOR, DIST. IV DATE SEP 19 2003

Conditions of approval, if any:

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised June 10, 2003
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-045-29401	² Pool Code 131994	³ Pool Name Basin Fruitland Coal
⁴ Property Code 17674	⁴ Property Name Federal State Com	⁶ Well Number 2
⁷ OGRID No. 131994	⁸ Operator Name Four Star Oil and Gas Company	⁹ Elevation 5893' Gr

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	32	30N	11W		1120	South	1605	East	San Juan

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 318.77	¹³ Joint or Infill N	¹⁴ Consolidation Code	¹⁵ Order No.
---	------------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


16						¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. <i>Kenneth W. Jackson</i> Signature Kenneth W. Jackson Printed Name Regulatory Specialist Title and E-mail Address 9/08/03 Date	
See.				32		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. Date of Survey Signature and Seal of Professional Surveyor:	
2				3		39.49 1605' 1120' 4 39.28 Certificate Number	

Current Schematic

Graphic
file not
foundGraphic
file not
found

API/UW 30-045-29401	Field Name Blanco	Area	Operator Four Star O&G	County San Juan	State/Province New Mexico	Surface Legal Location 30N 11W SEC 32, 1120' FSL & 1605' FEL
KB Elevation (ft) 5905.00	Ground Elevation (ft) 5893.00	Casing Flange Elevation (ft)	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft)	Spud Date 12/2/1996	

Original Hole: 5/21/1998 (KB-Grd: 12.0ft)



Current Schematic

Graphic
file not
foundGraphic
file not
found

API/UJM 30-045-29401	Field Name Blanco	Area	Operator Four Star O&G	County San Juan	State/Province New Mexico	Surface Legal Location 30N 11W SEC 32, 1120' FSL & 1605' FEL
KB Elevation (ft) 5905.00	Ground Elevation (ft) 5893.00	Casing Flange Elevation (ft)	KB-Ground Distance (ft) 12.00	KB-Casing Flange Distance (ft)	Spud Date 12/2/1996	

