

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: BP AMERICA PROD. CO. Telephone: (505)-326-9200 e-mail address: _____
Address: 200 ENERGY COURT, FARMINGTON, NM 87410
Facility or well name: ELLIOTT GC A #1A API #: 30-045- 22665 U/L or Qtr/Qtr G Sec 14 T 29N R 9W
County: SAN JUAN Latitude 36.72725 Longitude 107.74598 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit
Type: Drilling ☐ Production ☒ Disposal ☐ BLOW (III)
Workover ☐ Emergency ☐
Lined ☒ Unlined ☐ STEEL TANK
Liner type: Synthetic ☐ Thickness _____ mil Clay ☐
Pit Volume _____ bbl

Below-grade tank
Volume: _____ bbl Type of fluid: _____
Construction material: N/A
Double-walled, with leak detection? Yes ☒ If not, explain why not. _____

RCVD APR 5 '07
OIL CONS. DIV.

DIST. 3

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

| | | |
|---|-------------|---|
| Less than 50 feet | (20 points) | 0 |
| 50 feet or more, but less than 100 feet | (10 points) | |
| 100 feet or more | (0 points) | |

Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

| | | |
|-----|-------------|---|
| Yes | (20 points) | 0 |
| No | (0 points) | |

Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)

| | | |
|---|-------------|---|
| Less than 200 feet | (20 points) | 0 |
| 200 feet or more, but less than 1000 feet | (10 points) | |
| 1000 feet or more | (0 points) | |

| | | |
|-------------------------------------|--|---|
| Ranking Score (Total Points) | | 0 |
|-------------------------------------|--|---|

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility _____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments PIT LOCATED APPROXIMATELY 66 FT. S73W FROM WELL HEAD.

PIT EXCAVATION: WIDTH N/A ft., LENGTH N/A ft., DEPTH N/A ft.

PIT REMEDIATION: CLOSE AS IS: ☒ LANDFARM: ☐ COMPOST: ☐ STOCKPILE: ☐ OTHER ☐ (explain)

Cubic yards: N/A

BEDROCK BOTTOM.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an alternative OCD-approved plan ☒.

Date: 10/24/06

Printed Name/Title Jeff Blagg - P.E. # 11607

Signature _____




Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval. Deputy Oil & Gas Inspector,
District #3

Printed Name/Title _____

Signature _____

Date: AUG 09 2007

| CLIENT: <u>BP</u> | BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199 | LOCATION NO: <u>B1111</u> COCR NO: <u>1604</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--|---|---|-----------------------|----------|----------|------------|-------------|----------|---------|-------------|--|-----|--|--------------|---------------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| FIELD REPORT: PIT CLOSURE VERIFICATION | | PAGE No: <u>1</u> of <u>1</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LOCATION: NAME: <u>ELIOTT GC A</u> WELL#: <u>1A</u> TYPE: <u>BLOW (III)</u> QUAD/UNIT <u>G</u> SEC: <u>14</u> TWP: <u>29N</u> RNG: <u>9W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1800 FNL x 1800 FEL</u> <u>JUNE</u> CONTRACTOR: <u>HDI (Lynell)</u> | | DATE STARTED <u>10-18-06</u> DATE FINISHED: <u>10-18-06</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| EXCAVATION APPROX. <u>NA</u> FT. x <u>NA</u> FT. x <u>NA</u> FT. DEEP. CUBIC YARDAGE: <u>0</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DISPOSAL FACILITY: <u>NA</u> REMEDIATION METHOD: <u>CLOSE AS IS</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LAND USE: <u>RANGE - BLM</u> LEASE: <u>NM - 073151</u> FORMATION: <u>MV</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FIELD NOTES & REMARKS: PIT LOCATED APPROXIMATELY <u>66</u> FT. <u>S73W</u> FROM WELLHEAD. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| NMOCD RANKING SCORE: <u>0</u> NMOCD TPH CLOSURE STD: <u>5000</u> PPM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL AND EXCAVATION DESCRIPTION: | | OVM CALIB. READ = <u>53.4</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>1000</u> (am/pm) DATE: <u>10-18-06</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL TYPE: SAND / <u>SILTY SAND</u> / SILT / SILTY CLAY / CLAY / GRAVEL / <u>OTHER</u> <u>BEDROCK SANDSTONE @ 5'</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOIL COLOR: _____ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| COHESION (ALL OTHERS): <u>NON COHESIVE</u> / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CONSISTENCY (NON COHESIVE SOILS): <u>LOOSE</u> / FIRM / DENSE / VERY DENSE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD <u>CLOSED</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MOISTURE DRY / <u>SLIGHTLY MOIST</u> / MOIST / WET / SATURATED / SUPER SATURATED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DISCOLORATION/STAINING OBSERVED: <u>YES</u> / NO EXPLANATION - <u>Light Green Stain from 2'-4'</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HC ODOR DETECTED: <u>YES</u> / NO EXPLANATION - <u>MINOR</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SAMPLE TYPE GRAB / <u>COMPOSITE</u> - # OF PTS <u>5</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ADDITIONAL COMMENTS: <u>45 BBL steel tank set @ 4' Below grade.</u> <u>USE BACKLOG to fill tank & sample. Tank in old Eastern pit.</u> <u>BEDROCK BOTTOM</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FIELD 418.1 CALCULATIONS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMP. TIME</th> <th>SAMP. ID</th> <th>LAB NO.</th> <th>WEIGHT (g)</th> <th>mL FREON</th> <th>DILUTION</th> <th>READING</th> <th>CALC. (ppm)</th> </tr> </thead> <tbody> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> <tr><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td></tr> </tbody> </table> | | | SAMP. TIME | SAMP. ID | LAB NO. | WEIGHT (g) | mL FREON | DILUTION | READING | CALC. (ppm) | | | | | | | | | | | | | | | | | | | | | | | | |
| SAMP. TIME | SAMP. ID | LAB NO. | WEIGHT (g) | mL FREON | DILUTION | READING | CALC. (ppm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SCALE  0 10 FT | | PIT PERIMETER  | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| OVM READING <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>FIELD HEADSPACE (ppm)</th> </tr> </thead> <tbody> <tr><td>1 @</td><td> </td></tr> <tr><td>2 @</td><td> </td></tr> <tr><td>3 @</td><td> </td></tr> <tr><td>4 @</td><td> </td></tr> <tr><td>5 @</td><td> </td></tr> <tr><td>5-Point @ 5'</td><td>12.4</td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> <tr><td> </td><td> </td></tr> </tbody> </table> | | SAMPLE ID | FIELD HEADSPACE (ppm) | 1 @ | | 2 @ | | 3 @ | | 4 @ | | 5 @ | | 5-Point @ 5' | 12.4 | | | | | | | PIT PROFILE  | | | | | | | | | | | | |
| SAMPLE ID | FIELD HEADSPACE (ppm) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 @ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 @ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 @ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 4 @ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5 @ | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5-Point @ 5' | 12.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LAB SAMPLES <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>SAMPLE ID</th> <th>ANALYSIS</th> <th>TIME</th> </tr> </thead> <tbody> <tr><td>5-Point</td><td>TPH</td><td>1405</td></tr> <tr><td> </td><td>BTEX</td><td> </td></tr> <tr><td> </td><td>CL-</td><td> </td></tr> <tr><td> </td><td><u>PROJED</u></td><td> </td></tr> </tbody> </table> | | SAMPLE ID | ANALYSIS | TIME | 5-Point | TPH | 1405 | | BTEX | | | CL- | | | <u>PROJED</u> | | | | | | | | | | | | | | | | | | | |
| SAMPLE ID | ANALYSIS | TIME | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5-Point | TPH | 1405 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | BTEX | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | CL- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | <u>PROJED</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| P.D. = PIT DEPRESSION, B.G. = BELOW GRADE, B = BELOW T.H. = TEST HOLE, ~ = APPROX., T.B. = TANK BOTTOM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TRAVEL NOTES: CALLOUT: _____ ONSITE: <u>10-18-06</u> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


| | | | |
|----------------------|-----------------|---------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 5-Point @ 5' | Date Reported: | 10-24-06 |
| Laboratory Number: | 38899 | Date Sampled: | 10-18-06 |
| Chain of Custody No: | 1609 | Date Received: | 10-20-06 |
| Sample Matrix: | Soil | Date Extracted: | 10-20-06 |
| Preservative: | Cool | Date Analyzed: | 10-23-06 |
| Condition: | Cool and Intact | Analysis Requested: | 8015 TPH |

| Parameter | Concentration (mg/Kg) | Det. Limit (mg/Kg) |
|------------------------------|--------------------------|--------------------------|
| Gasoline Range (C5 - C10) | 0.4 | 0.2 |
| Diesel Range (C10 - C28) | 0.9 | 0.1 |
| Total Petroleum Hydrocarbons | 1.3 | 0.2 |

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Elliott GC A #1A Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

| | | | |
|--------------------|---------------|--------------------|-----------|
| Client. | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 5-Point @ 5' | Date Reported | 10-23-06 |
| Laboratory Number: | 38899 | Date Sampled: | 10-18-06 |
| Chain of Custody. | 1609 | Date Received | 10-20-06 |
| Sample Matrix: | Soil | Date Analyzed | 10-23-06 |
| Preservative | Cool | Date Extracted. | 10-20-06 |
| Condition. | Cool & Intact | Analysis Requested | BTEX |

| Parameter | Concentration (ug/Kg) | Det. Limit (ug/Kg) |
|--------------|--------------------------|--------------------------|
| Benzene | 33.8 | 1.8 |
| Toluene | 84.8 | 1.7 |
| Ethylbenzene | 50.1 | 1.5 |
| p,m-Xylene | 137 | 2.2 |
| o-Xylene | 81.8 | 1.0 |
| Total BTEX | 388 | |


ND - Parameter not detected at the stated detection limit


| Surrogate Recoveries: | Parameter | Percent Recovery |
|-----------------------|---------------------|------------------|
| | Fluorobenzene | 98.0 % |
| | 1,4-difluorobenzene | 98.0 % |
| | Bromochlorobenzene | 98.0 % |

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Elliott GC A #1A Blow Pit.


Analyst


Review

ENVIROTECH LABS

PRactical SOLUTIONS FOR A BETTER TOMORROW

Chloride

| | | | |
|----------------|-----------------|-------------------|-----------|
| Client: | Blagg / BP | Project #: | 94034-010 |
| Sample ID: | 5 - Point @ 5' | Date Reported: | 10-23-06 |
| Lab ID#: | 38899 | Date Sampled: | 10-18-06 |
| Sample Matrix: | Soil | Date Received: | 10-20-06 |
| Preservative: | Cool | Date Analyzed: | 10-23-06 |
| Condition: | Cool and Intact | Chain of Custody: | 1609 |


| Parameter | Concentration (mg/Kg) |
|-----------|-----------------------|
|-----------|-----------------------|


Total Chloride

38.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Elliott GC A #1A Blow Pit.


Analyst


Review