District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

State of New Mexico **Energy Minerals and Natural Resources**

June 1, 2004

Form C-144

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

<u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

	or below-grade tank \(\text{ Closure of a pit or below-grade} \)				
Operator: BP AMERICA PROD. CO.	(505)-326-9200	1.44			
Address: 200 ENERGY COURT. FARMINGTON.		l address:			
	API #: 30-045- 10864 U/L or Qtr/Q	nr M Sec 8 T 31N R 11W			
County: SAN JUAN Latitude 36.90865 Longitude 10.	, , ,				
		RCVD APR5'07			
<u>Pit</u>	Below-grade tank				
<u>Type:</u> Drilling ☐ Production ☑ Disposal ☐ <u>DEHYDRATOR (II)</u>	Volume:bbl_Type-ef-fluid: /	OIL CONS. DIV.			
Workover ☐ Emergency ☐	Construction materia:	DIST. 3			
Lined 🛛 Unlined 🔲 STEEL TANK	Double-walled, with leak of tection? Yes If not	explain why not.			
Liner type: Synthetic Thicknessmil Clay [
Pit Volumebbl					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points) 0			
	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	No	(0 points) 0			
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)			
inguitori outuus, utee pereliinia and optioniotal wareneoutsos,	1000 feet or more	(0 points)			
	Ranking Score (Total Points)	0			
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if					
your are burying in place) onsite 🛛 offsite 🔲 If offsite, name of facility_	. (3) Attach a general de	escription of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered: No 🛛 Y	(es If yes, show depth below ground surface	ft. and attach sample results. (5)			
Attach soil sample results and a diagram of sample locations and excavations	s				
Additional Comments: PIT LOCATED APPROXIMATELY	Additional Comments: PIT LOCATED APPROXIMATELY 105 FT. N80E FROM WELL HEAD.				
PIT EXCAVATION: WIDTH N/Aft. LENGTH	N/Aft DEPTH N/Aft				
PIT REMEDIATION: CLOSE AS IS: ☒, LANDFARM: ☐, CO	OMPOST: □, STOCKPILE: □, OTHER □ (ex	plain)			
Cubic yards: N/A					
BEDROCK BOTTOM.					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an alternative OCD-approved plan .					
Deta: 06/12/06					
Date					
PrintedName/Title Jeff Blagg - P.E. # 11607 Signature					
Your certification and NMOCD approval of this application/closure does notherwise endanger public health or the environment. Nor does it relieve the regulations.	ot relieve the operator of liability should the contents				
Approval: Deputy Oil & Gas Inspecto Printed Name/Title District #3 Sign	er, BABM	AUG 0 9 2007			

CLIENT:	RΡ				NEERING	•	4.0	LOCATION NO:	B132
CLIENT:			P.O. BOX	87, BLO (505) 632		, NIVI 8/4	13	COCR NO:	1056
FIELD	RE	PORT	PIT CL	OSURE	VERIF	CATIO	N	PAGE No:	of
LOCATION	: NAME	CAS	= B	WELL#:	2 TYPE	: DEHY (I) 1	DATE STARTED.	0/7/06
			rwp: 31N RNG					DATE FINISHED:	6/7/06
QTR/F001	TAGE:	990 FSL	× 990 FWL	SUISW - CONTR	RACTOR: HDI	(EDGAR)		ENVIRONMENTAL SPECIALIST	JCB
			<u>NA</u> FT. x				JBIC Y	'ARDAGE:	0
DISPOSAL F	ACILIT	Y:	NA		REMEDIA	TION METH	OD:	_ CLOSE	AS IS
LAND USE:	RAM	16E- BLM		LEASE: 5/	=-078095	<u>.</u>	FOR	MATION: MV	(PXA WELL)
FIELD NO	TES &	REMARK	(S: PIT LOC	ATED APPROX	(IMATELY 10	<u>5</u> FT	N80	E FROM	WELLHEAD.
DEPTH TO GRO							URFACE	WATER: >(000
NMOCD RANKI	ING SCO	RE: <u>0</u>	NMOCD TPH	CLOSURE STD:	5000 pr				
SOIL AN	D EXC	CAVATIO	N DESCRIPT	ION:		ſ		ppm <u>ئ3.5 =</u> ppm	RF = 0 52
						TIME: 140	<u>О</u> а	ım/pm) DATE: 4	
SOIL TYPE	SAND /	SILTY SAND) / SILT / SILTY (CLAY / CLAY /	GRAVEL /OTH	ER BEDRO	CF S	3 NOT 2 CUA	
	LOTHER	RS): NON CO	HESIVE / SLIGHTLY	COHESIVE / CO	HESIVE (HIGHLY	COHESIVE			
4	•		LS): LOOSE / FIRM						}
			/ SLIGHTLY PLAST : SOFT / FIRM / STI			HIGHLY PLAST	IC		2ED
MOISTURE DE	RY / SLIG	HTLY MOIST	MOIST / WET / SAT	URATED / SUPE	R SATURATED			(000	(2ED)
			ED: (YES) NO EXP PLANATION		1. MINOR GI	EAY			
			# OF PTS.					11	
ADDITIONAL CO	OMMENT			(1 201 5-2	I Deep V	<u>VOSD</u>	LINED Celle BACEHOE T	ar w/
BOTTOM					4NF - S		03/2	BIACKINE /	O REJUDBE
00415				Fil	LD 418.1 CALC	ULATIONS			
SCALE	7	SAMP. TIM	E SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILU	TION READING	CALC. (ppm)
0	FT								
T PI		RIMETI	-R		1		PI	T PROFIL	F
1	1 <u> </u>	-1 (11VIC 1 8	-1\	0	NVM		<u></u> _	, , , , , , , , , , , , , , , , , , , ,	
				REA	ADING	_			Į
į			PRIUR TA~K	ID	FIELD HEADSPACE (ppm)	_			
		6		1 @ 2 @		_		, .	
		.9.		3 @ 4 @				<u> </u>	
	1.	~ ` \		5 @		- T	1		
A	4	(5)	D6' A-	-			· -	 - 	
TU		•				- 6	Ę	Ħ	
1051(44)				7 / 1	H	H	
							M		
				SAMPLE	AMPLES nalysis time		BEDI	POCK SAN	DSTONE
}				49r. e6' T1	81 cl 1510	2	/		,
				ce6' "	" " 1500	> /	/		
PD = PIT DEPRE	SSION F	3 G = BELOW	GRADE; B = BELOW	Pr	15560)				
TH = TEST HOL	E, ~ = AP								
TRAVEL NOT	ES	CALLOUT:			_ ONSITE: 4	0/7/06	- -		



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy - 4 Pt @ 6'	Date Reported:	06-12-06
Laboratory Number:	37368	Date Sampled:	06-07-06
Chain of Custody No:	1056	Date Received:	06-09-06
Sample Matrix:	Soil	Date Extracted:	06-09-06
Preservative:	Cool	Date Analyzed:	06-12-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Case B #2.

Analyst P. Green

Mustine m Walters
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy - 4 Pt @ 6'	Date Reported:	06-12-06
Laboratory Number:	37368	Date Sampled:	06-07-06
Chain of Custody:	1056	Date Received:	06-09-06
Sample Matrix:	Soil	Date Analyzed:	06-12-06
Preservative:	Cool	Date Extracted:	06-09-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	ND	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	23.9	2.2	
o-Xylene	ND	1.0	
Total BTEX	23.9		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Case B #2.

Analyst C. Oyluna

Mister Mueters Review



Chloride

Client: Project #: 94034-010 Blagg / BP Sample ID: Dehy - 4 Pt @ 6' Date Reported: 06-12-06 Lab ID#: 37368 Date Sampled: 06-07-06 Sample Matrix: Soil Date Received: 06-09-06 Preservative: Cool Date Analyzed: 06-09-06 Condition: Cool and Intact Chain of Custody: 1056 **Parameter** Concentration (mg/Kg)

Total Chloride

82.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Case B #2.

Analyst Daeles

Review C. Cefficial



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy - C @ 6'	Date Reported:	06-12-06
Laboratory Number:	37367	Date Sampled:	06-07-06
Chain of Custody No:	1056	Date Received:	06-09-06
Sample Matrix:	Soil	Date Extracted:	06-09-06
Preservative:	Cool	Date Analyzed:	06-12-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Case B #2.

Analyst C. Q. L.

Minten Walter Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Dehy - C @ 6'	Date Reported:	06-12-06
Laboratory Number:	37367	Date Sampled:	06-07-06
Chain of Custody:	1056	Date Received:	06-09-06
Sample Matrix:	Soil	Date Analyzed:	06-12-06
Preservative:	Cool	Date Extracted:	06-09-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	2.1	1.7	
Ethylbenzene	ND	1.5	
p,m-Xylene	22.7	2.2	
o-Xylene	ND	1.0	
Total BTEX	24.8		

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	99.0 %
	1,4-difluorobenzene	99.0 %
	Bromochlorobenzene	99.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Case B #2.

Analyst P. Q.

Mustere of Walles
Review



Chloride

Client: Blagg / BP
Sample ID: Dehy - C @ 6'
Lab ID#: 37367
Sample Matrix: Soil
Preservative: Cool
Condition: Cool and Intact

Project #:
Date Reported:
Date Sampled:
Date Received:
Date Analyzed:
Chain of Custody:

06-07-06 06-09-06 06-09-06 1056

94034-010

06-12-06

Parameter

Concentration (mg/Kg)

Total Chloride

94.0

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Case B #2.

Ihrustine of Watles Analyst Review C. Carrier