1625 N. French Dr , Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410

1220 S. St. Francis Dr., Santa Fe, NM 87505

District IV

State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For downstream facilities, submit to Santa Fe

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes 🛛 No 🗌

Type of action Registration of a pit or below-grade tank \(\text{Closure of a pit or below-grade tank } \text{\(\text{Solution} \) Telephone: (505)-326-9200 e-mail address: BP AMERICA PROD. CO. Address: 200 ENERGY COURT, FARMINGTON, NM 87410 API#: 30-045- 23496 Facility or well name: ATLANTICE B LS #20 U/L or Otr/Otr M Sec 33 T 31N R 10W Longitude 107.89393 County: SAN JUAN Latitude 36.85113 NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐ Pit Below-grade tank RCVD APR5'07 Type: Drilling Production Disposal SEPARATOR Volume: bbl OIL CONS. DIV. Construction materia Double-walled, with leak a tection? Yes If net, explain why not. DIST. 3 Lined Unlined 🛛 Liner type: Synthetic Thickness mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 0 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic 0 No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) 10 irrigation canals, ditches, and perennial and ephemeral watercourses.) 1000 feet or more (0 points) 10 **Ranking Score (Total Points)** If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite 🗌 offsite 🖂 If offsite, name of facility BP CROUCH MESA LF remediation start date and end date. (4) Groundwater encountered: No 🖾 Yes 🔲 If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations FT. N85E Additional Comments PIT LOCATED APPROXIMATELY 24 FROM WELL HEAD. PIT EXCAVATION: WIDTH 23 ft., LENGTH 16 ft., DEPTH 16 ft. PIT REMEDIATION: CLOSE AS IS: ☐, LANDFARM: ☐, COMPOST: ☐, STOCKPILE: ☐, OTHER ☒ EXCAVATE 200 Cubic vards: **BEDROCK BOTTOM** I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🛛, a general permit 🔲, or an alternative OCD-approved plan 🖾. 01/09/06 **Jeff Blagg – P.E. # 11607** Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations. Deputy Oil & Gas Inspector,
District #3 Signature Date: AUG 0 9 2007 Printed Name/Title

			F	ELD 418.1 CALC	CULATIONS			
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
0 FT						-		
N PIT PE	RIMETER	₹	·		····	PIT F	ROFIL	Ē
,	23 × 16	, Č	RE. SAMPLE 10 2 @ 3 @ 4 @ 5 @ 4 - Point 2 iu LAB S SAMPLE 10 4 - Point 7 f	ADING FIELD HEADSPACE (ppm) 2236 SAMPLES ANALYSIS TIM (PSTF-C) 1524	16°		ω' - >	
HOVEL HOTES:	CALLOUT: _		·	ONSITE: _	1/5/2006			



EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Point Composite @ 16'	Date Reported:	01-09-06
Laboratory Number:	35656	Date Sampled:	01-05-06
Chain of Custody No:	15341	Date Received:	01-06-06
Sample Matrix:	Soil	Date Extracted:	01-06-06
Preservative:	Cool	Date Analyzed:	01-09-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

Atlantic B LS 20 Sep Pit.

Analyst P. Oglence

Misting Walles
Review



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	4-Point Composite @ 16 ³	Date Reported:	01-09-06
Laboratory Number:	35656	Date Sampled:	01-05-06
Chain of Custody:	15341	Date Received:	01-06-06
Sample Matrix:	Soil	Date Analyzed:	01-09-06
Preservative:	Cool	Date Extracted:	01-06-06
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)	
Benzene	ND	1.8	
Toluene	14.8	1.7	
Ethylbenzene	22.4	1.5	
p,m-Xylene	18.7	2.2	
o-Xylene	5.2	1.0	
Total BTEX	61.1	,	

ND - Parameter not detected at the stated detection limit.

Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	98.0 %
	1,4-difluorobenzene	98.0 %
	Bromochlorobenzene	98.0 %

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846,

USEPA, December 1996.

Comments:

Atlantic B LS 20 Sep Pit.

Analyst P. Oshman

(Mustine Mulalters Review



Chloride

94034-010 Client: Blagg / BP Project #: Sample ID: 4-Point Composite @ 16' Date Reported: 01-09-06 Lab ID#: 35656 Date Sampled: 01-05-06 Sample Matrix: Soil Date Received: 01-06-06 Cool Date Analyzed: 01-09-06 Preservative: Condition: Cool and Intact Chain of Custody: 15341

Parameter Concentration (mg/Kg)

Total Chloride

27.8

Reference:

Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments:

Atlantic B LS 20 Sep Pit.

Analyst Martine Maller

5796 U.S. Highway 64 • Farmington, NM 87401 • Tel 505 • 632 • 0615 • Fax 505 • 632 • 1865

CHAIN OF CUSTODY RECORD

Client / Project Name			Duniant Laurtina												-1	-
			Project Location							A	NALYSIS / PAR	AMETERS				
BLAGE/BP			ATLANTIC	B LS	<u> 20</u>		<u></u>	T		·						
Sampler:	6		Client No.				rs						Rei	marks		
BLACU/BP Sampler:	139		94034	1-01C)		No. of ontaine	_ L	× ~	1						
Sample No./	Sample Date	Sample Time	Lab Number		Sample Matrix		No. of Containers	HELL SOLS	875.	3						
4-Point Composit	1 le la	1540	20,51	4	SOIL		1	· ×	×	کِ		SEI	o F	7		
(6)	45/06	1340	35656	- tas			`									
			·													
										-					-	
				_			<u> </u>									
Relinquished by: (Signatui	re)			Date	Time	Recei	ved by:	(Signatı	ure)	1			Ď	ate	Ti	me
Relinquished by: (Signatur	5		V	6/36	0846	6	ll		- C. (Lex!	Markey Williams		1/60	ate /1/6	08,	K
Relinquished by: (Signatui	re)			,			ived by:	(Signatı	ıre)	l						
i.											,					
Relinquished by: (Signatur	re)					Recei	ved by:	(Signatu	ure)							
						<u> </u>						1				
				ENV	'IRO	re(SH		C.	•		San	nple Re	eceipt		
								Tellar la						Y	N	N/A
					5796 U.S				1			Received Int	act	0		
				ганн	ington, N (505)			0740	I			Cool - Ice/Blue	e Ice	_		



EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC		Project #:		N/A
Sample ID:	01-09-06 QA/Q	ìC	Date Reported:		01-09-06
Laboratory Number:	35650		Date Sampled:		N/A
Sample Matrix:	Methylene Chlori	de	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		01-09-06
Condition:	N/A		Analysis Reques	ted:	TPH
	I-Cal Date	I-Cal RF:	C-Cal RF:	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	9.9775E+002	9.9874E+002	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	9.9469E+002	9.9668E+002	0.20%	0 - 15%
Blank Conc. (mg/L - mg/Kg) Gasoline Range C5 - C10		Concentration ND		Detection Lim	î t
Diesel Range C10 - C28		ND		0.1	
Total Petroleum Hydrocarbons		ND		0.2	
Duplicate Conc. (mg/Kg)	* Sample	Duplicate		Accept, Range))
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%	
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%	
Spike Conc. (mg/Kg)	Sample	Spike Ådded	Spike Result	% Řecovery	Áccept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References:

Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste,

SW-846, USEPA, December 1996.

Comments:

QA/QC for Samples 35650 - 35656.

Analyst



EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	F	Project #:		N/A
Sample ID:	01-09-BTEX QA/Q	C E	Date Reported:		01-09-06
Laboratory Number:	35650	Ε	Date Sampled:		N/A
Sample Matrix:	Soil	0	Date Received:		N/A
Preservative:	N/A		Date Analyzed:		01-09-06
Condition:	N/A	ρ	Analysis:		BTEX
Calibration and	I-Gal RF: 🐔	C-Cal RF	%Diff.	Blank	Detect.
Detection Limits (ug/L)		Accept	e 0 - 15%	Conc	Limit
Benzene	1.2748E+007	1.2773E+007	0.2%	ND	0.2
Toluene	4.2841E+007	4 2927E+007	0.2%	ND	0.2
Ethylbenzene	3.6787E+007	3 6860E+007	0.2%	ND	0.2
p,m-Xylene	8.0341E+007	8.0502E+007	0.2%	ND	0.2
o-Xylene	3.8818E+007	3 8895E+007	0.2%	ND	0.1
3.7 ±184 ±1 71.	Sample	Duplicate ND	% %Diff. () // 0.0%	Accept Range	Detect. Limit
Benzene Toluene Ethylbenzene	ND 22.5 13.2	ND 22.4 13.1	0.0% 0.4% 0.8%	0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5
Benzene Toluene Ethylbenzene p,m-Xylene	ND 22.5 13.2 99.9	ND 22.4 13.1 99.8	0.0% 0.4% 0.8% 0.1%	0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2
Duplicate Conc. (ug/Kg) Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	ND 22.5 13.2	ND 22.4 13.1	0.0% 0.4% 0.8%	0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5
Benzene Toluene Ethylbenzene p,m-Xylene o-Xylene	ND 22.5 13.2 99.9	ND 22.4 13.1 99.8	0.0% 0.4% 0.8% 0.1% 0.9%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kĝ)	ND 22.5 13.2 99.9 11.4	ND 22.4 13.1 99.8 11.3 Amount Spiked	0.0% 0.4% 0.8% 0.1% 0.9%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Foluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kg)	ND 22.5 13.2 99.9 11.4	ND 22.4 13.1 99.8 11.3	0.0% 0.4% 0.8% 0.1% 0.9%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene o,m-Xylene o-Xylene Spike Conc. (ug/Kg)	ND 22.5 13.2 99.9 11.4	ND 22.4 13.1 99.8 11.3 Amount Spiked	0.0% 0.4% 0.8% 0.1% 0.9%	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30%	1.8 1.7 1.5 2.2 1.0
Benzene Toluene Ethylbenzene p,m-Xylene	ND 22.5 13.2 99.9 11.4 ND 22.5	ND 22.4 13.1 99.8 11.3 Amount Spiked 50.0 50.0	0.0% 0.4% 0.8% 0.1% 0.9% Spiked Sample	0 - 30% 0 - 30% 0 - 30% 0 - 30% 0 - 30% 100.0% 99.9%	1.8 1.7 1.5 2.2 1.0 Accept Range 39 - 150 46 - 148

ND - Parameter not detected at the stated detection limit.

References:

Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA,

December 1996.

Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996

Comments:

QA/QC for Samples 35650 - 35652, 35654, 35656.

Analyst