

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
10 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: <u>BP AMERICA PROD. CO.</u> Telephone: <u>(505) 326-9200</u>		RCVD APR10'07	
Address: <u>200 Energy Court, Farmington, NM 87410</u>		OIL CONS. DIV.	
Facility or well name: <u>WILCH A #1E</u> API #: <u>30-045-25458</u> U/L or Qtr/Qtr: <u>J</u> Sec: <u>26</u> T: <u>29N</u> R: <u>8W</u>		DIST. 3	
County: <u>San Juan</u> Latitude: <u>36.69444</u> Longitude: <u>107.64230</u> NAD 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐			
Pit Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness: _____ mil Clay ☐ Volume: _____ bbl		Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: <u>N/A</u> Double-walled with leak detection? Yes ☐ If not, explain why not.	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet	(20 points)	
	50 feet or more, but less than 100 feet	(10 points)	0
	100 feet or more	(0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes	(20 points)	
	No	(0 points)	0
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet	(20 points)	
	200 feet or more, but less than 1000 feet	(10 points)	0
	1000 feet or more	(0 points)	
Ranking Score (Total Points)			0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

onsite ☒ offsite ☐ If offsite, name of facility _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 07/15/04

Printed Name/Title: Jeff Blagg - P.E. # 11607 Signature: [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: AUG 09 2007

Printed Name/Title: Deputy Oil & Gas Inspector, Signature: [Signature]

District #3

PAGE 4 OF 4

CLIENT <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO. <u>81434</u> COCR NO <u>12466</u>
------------------	---	---

FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
---	--	-------------------------------

LOCATION: NAME: <u>WILCH</u> A WELL # <u>1E</u> TYPE <u>SEP.</u> QUAD/UNIT <u>J SEC: 26</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>ST. NM</u> QTR/FOOTAGE: <u>176S/1550'E</u> NW/SE CONTRACTOR: <u>HDI (JOAQUIN)</u>	DATE STARTED <u>7/12/04</u> DATE FINISHED _____ ENVIRONMENTAL SPECIALIST <u>NV</u>
---	--

EXCAVATION APPROX. <u>20</u> FT. x <u>20</u> FT. x <u>9</u> FT. DEEP. CUBIC YARDAGE: <u>130</u>
DISPOSAL FACILITY: <u>ON-SITE</u> REMEDIATION METHOD: <u>LANDFARM</u>
LAND USE <u>RANGE - BLM</u> LEASE: <u>SF 078416A</u> FORMATION: <u>DK</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>100</u> FT. <u>N30E</u> FROM WELLHEAD DEPTH TO GROUNDWATER: <u>>100'</u> NEAREST WATER SOURCE <u>>1000'</u> NEAREST SURFACE WATER <u>>1000'</u> NMOC D RANKING SCORE <u>0</u> NMOC D TPH CLOSURE STD <u>5000</u> PPM
------------------------	--

SOIL AND EXCAVATION DESCRIPTION:	OVM CALIB READ = _____ ppm OVM CALIB. GAS = <u>100</u> ppm RF = <u>0.52</u> TIME: _____ am/pm DATE _____
----------------------------------	--

SOIL TYPE (SAND) / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHER
 SOIL COLOR BLACK (BET. 4'-8' BELOW GRADE) MED. GR. TO GR. GRAY (BET. 8'-12' BELOW GRADE)
 COHESION (ALL OTHERS) (NON COHESIVE) / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVE
 CONSISTENCY (NON COHESIVE SOILS) (LOOSE) / (FIRM) / DENSE / VERY DENSE
 PLASTICITY (CLAYS) NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC
 DENSITY (COHESIVE CLAYS & SILTS) SOFT / FIRM / STIFF / VERY STIFF / HARD CLOSED
 MOISTURE DRY / SLIGHTLY MOIST / (MOIST) / WET / (SATURATED) / SUPER SATURATED
 DISCOLORATION/STAINING OBSERVED. YES / NO EXPLANATION - ENTIRE TEST HOLE INTERVAL.
 HC ODOR DETECTED (YES) / NO EXPLANATION - ENTIRE TEST HOLE + OVM SAMPLE.
 SAMPLE TYPE (GRAB) / COMPOSITE - # OF PTS. 1
 ADDITIONAL COMMENTS: _____

FIELD 418.1 CALCULATIONS								
SCALE	SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)
 0 1 FT								

PIT PERIMETER

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE, B = BELOW
 T.H. = TEST HOLE, ~ = APPROX., T.B. = TANK BOTTOM

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 12'	913
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
D012	TAH (80153)	1204
"	STEX (80218)	"
(BOTH PASSED)		

PIT PROFILE

NOT APPLICABLE

TRAVEL NOTES:	CALLOUT: <u>7/12/04 - MORN.</u> ONSITE: <u>7/12/04 - MORN.</u>
---------------	--

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 12'	Date Reported:	07-15-04
Laboratory Number:	29534	Date Sampled:	07-12-04
Chain of Custody No:	12466	Date Received:	07-13-04
Sample Matrix:	Soil	Date Extracted:	07-13-04
Preservative:	Cool	Date Analyzed:	07-14-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	6.1	0.2
Diesel Range (C10 - C28)	1.1	0.1
Total Petroleum Hydrocarbons	7.2	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Wilch A #1E Separator Pit, Grab Sample**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 12'	Date Reported:	07-14-04
Laboratory Number:	29534	Date Sampled:	07-12-04
Chain of Custody:	12466	Date Received:	07-13-04
Sample Matrix:	Soil	Date Analyzed:	07-14-04
Preservative:	Cool	Date Extracted:	07-13-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	9.0	1.8
Toluene	76.7	1.7
Ethylbenzene	37.6	1.5
p,m-Xylene	323	2.2
o-Xylene	63.7	1.0
Total BTEX	510	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	97 %
	1,4-difluorobenzene	97 %
	Bromochlorobenzene	97 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Wilch A #1E Separator Pit Grab Sample.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO B1434C.O.C NO: 14618

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: WILCH A WELL #: 1E PITS: SEP
QUAD/UNIT: J SEC: 26 TWP: 29N RNG: 8W PM: NM CNTY: ST ST: nm
QTR/FOOTAGE: NW/SE CONTRACTOR:DATE STARTED 3/29/06
DATE FINISHEDENVIRONMENTAL
SPECIALIST: NV

SOIL REMEDIATION:

REMEDATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE:

LAND USE: RANGE - BURNLIFT DEPTH (ft): N/A

FIELD NOTES & REMARKS:


DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD 5,000 PPMSOIL TYPE: SAND / SILTY SAND / SILT / SILTY CLAY / CLAY / GRAVEL / OTHERSOIL COLOR: LT. TO MOD. REDDISH BROWNCOHESION (ALL OTHERS): NON COHESIVE / SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / FIRM / DENSE / VERY DENSE

PLASTICITY (CLAYS): NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / SLIGHTLY MOIST / MOIST / WET / SATURATED / SUPER SATURATEDDISCOLORATION/STAINING OBSERVED: YES / NO EXPLANATION -HC ODOR DETECTED: YES / NO EXPLANATION -SAMPLING DEPTHS (LANDFARMS): 4-6 (INCHES)SAMPLE TYPE: GRAB / COMPOSITE # OF PTS. 5ADDITIONAL COMMENTS: NO ACTUAL LANDFARM OBSERVED ON-SITE. SAMPLED AREA MOSTLY
LIKELY TO HAVE LANDFARM PLACED ON IT BUT BASED ON THE SOIL
CHARACTERISTICS, PROBABLY WAS NOT REMEDIATED SOIL.

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ. = 53.2 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 7:45 am/pm DATE: 3/29/06

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)	SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	0.0	LF-1	TPH (SOILS)	1500	ND

SCALE

0 FT

P.C. - 7/12/04

TRAVEL NOTES: CALLOUT: N/AONSITE: 3/29/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	LF - 1	Date Reported:	04-03-06
Laboratory Number:	36648	Date Sampled:	03-29-06
Chain of Custody No:	14618	Date Received:	03-30-06
Sample Matrix:	Soil	Date Extracted:	03-30-06
Preservative:	Cool	Date Analyzed:	04-03-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Wilch A #1E - Landfarm 5 Pt. Composite Sample.**


Analyst


Review

CHAIN OF CUSTODY RECORD

12460

Client / Project Name BLAEGG/BP			Project Location WILCH A #1E		ANALYSIS / PARAMETERS						
Sampler NJV			Client No 94034-010		No. of Containers (80158)	TPH (80158)	BTEX (80218)				Remarks PRESERVED COOL GRAB SAMPLES
Sample No / Identification	Sample Date	Sample Time	Lab Number	Sample Matrix							
① @ 6.5'	7/12/04	1158	29532	SOIL	1	✓					BLOW PIT
① @ 8'	7/12/04	1211	29533	SOIL	1	✓					DEHYDRATOR PIT
① @ 12'	7/12/04	1204	29534	SOIL	1	✓	✓				SEPARATOR PIT
① @ 9'	7/12/04	1152	29535	SOIL	1	✓	✓				PRODUCTION TANK PIT
Relinquished by: (Signature) <i>[Signature]</i>			Date 7/13/04	Time 0845	Received by: (Signature) <i>[Signature]</i>					Date 7/13/04	Time 8:45
Relinquished by: (Signature)					Received by: (Signature)						
Relinquished by: (Signature)					Received by: (Signature)						

ENVIROTECH INC.

 5796 U.S. Highway 64
 Farmington, New Mexico 87401
 (505) 632-0615

Sample Receipt

	Y	N	N/A
Received Intact	✓		
Cool - Ice/Blue Ice	✓		

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	07-14-TPH QA/QC	Date Reported:	07-15-04
Laboratory Number:	29532	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-14-04
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-19-04	1.8591E-002	1.8572E-002	0.10%	0 - 15%
Diesel Range C10 - C28	02-19-04	1.5507E-002	1.5492E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 29532 - 29537.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	07-14-BTEX QA/QC	Date Reported:	07-14-04
Laboratory Number:	29534	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	07-14-04
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF	C-Cal RF	%Diff	Blank Conc	Detect Limit
		Accept Range 0 - 15%			
Benzene	4.2776E-002	4.2905E-002	0.3%	ND	0.2
Toluene	4.8966E-002	4.9064E-002	0.2%	ND	0.2
Ethylbenzene	7.4036E-002	7.4259E-002	0.3%	ND	0.2
p,m-Xylene	6.8275E-002	6.8480E-002	0.3%	ND	0.2
o-Xylene	5.5866E-002	5.5978E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff	Accept Range	Detect Limit
Benzene	9.0	9.1	1.1%	0 - 30%	1.8
Toluene	76.7	75.2	2.0%	0 - 30%	1.7
Ethylbenzene	37.6	36.8	2.1%	0 - 30%	1.5
p,m-Xylene	323	328	1.5%	0 - 30%	2.2
o-Xylene	63.7	64.7	1.6%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	9.0	50.0	58.9	99.8%	39 - 150
Toluene	76.7	50.0	126	99.8%	46 - 148
Ethylbenzene	37.6	50.0	87.5	99.9%	32 - 160
p,m-Xylene	323	100	423	100.0%	46 - 148
o-Xylene	63.7	50.0	114	100.0%	46 - 148

ND - Parameter not detected at the stated detection limit.

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for samples 29534 - 29537.


Analyst


Review

CHAIN OF CUSTODY RECORD

14618

Client / Project Name <i>WILCH / BP</i>			Project Location <i>WILCH LEASE</i>		ANALYSIS / PARAMETERS								
Sampler: <i>N.I.</i>			Client No. <i>94034-010</i>		No. of Containers <i>TPH (3015B)</i>						Remarks <i>PRESERVED COOL 5 PT. COMPOSITE SAMPLE</i>		
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix									
<i>1F+1</i>	<i>3/29/06</i>	<i>1410</i>		<i>SOIL</i>							<i>WILCH LEASE LANDFARM</i>		
<i>2F-1</i>	<i>3/29/06</i>	<i>1500</i>	<i>36648</i>	<i>SOIL</i>	<i>1</i>	<i>✓</i>					<i>WILCH LEASE LANDFARM</i>		
Relinquished by: (Signature) <i>[Signature]</i>			Date <i>3/30/06</i>	Time <i>0848</i>	Received by: (Signature) <i>[Signature]</i>					Date <i>3/30/06</i>	Time <i>0848</i>		
Relinquished by: (Signature) <i>[Signature]</i>					Received by: (Signature)								
Relinquished by: (Signature)					Received by: (Signature)								
ENVIROTECH INC. 5796 U.S. Highway 64 Farmington, New Mexico 87401 (505) 632-0615										Sample Receipt			
											Y	N	N/A
										Received Intact	✓	✓	
										Cool - Ice/Blue Ice			

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	04-03-06 QA/QC	Date Reported:	04-03-06
Laboratory Number:	36648	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	04-03-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-04-05	1.0018E+003	1.0028E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	9.9736E+002	9.9936E+002	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	ND	ND	0.0%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	ND	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 36648, 36652 - 36659.


Analyst


Review