

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
.0 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
March 12, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

RCVD APR3'07
OIL CONS. DIV.

DIST. 3

Operator: <u>BP AMERICA PROD. CO.</u> Telephone <u>(505) 326-9200</u>							
Address <u>200 Energy Court, Farmington, NM 87410</u>							
Facility or well name <u>HUGHES LS #17</u>	API = <u>30-045-21152</u> U L or Qtr Qtr <u>H</u> Sec <u>19</u> T <u>29N</u> R <u>8W</u>						
County: <u>San Juan</u> Latitude <u>36.7134</u> Longitude <u>107.71108</u>	NAD: 1927 ☐ 1983 ☒ Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐						
Pit Type: Drilling ☐ Production ☐ Disposal ☒ SEPARATOR Workover ☐ Emergency ☐ Lined ☐ Unlined ☒ Liner type: Synthetic ☐ Thickness <u> </u> mil Clay ☐ Volume <u> </u> bbl	Below-grade tank Volume: <u> </u> bbl Type of fluid: <u> </u> Construction material: <u>N/A</u> Double-walled with leak detection? ☒ If not, explain why not <u> </u>						
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	<table border="1"><tr><td>Less than 50 feet</td><td>(20 points)</td></tr><tr><td>50 feet or more, but less than 100 feet</td><td>(10 points) 0</td></tr><tr><td>100 feet or more</td><td>(0 points)</td></tr></table>	Less than 50 feet	(20 points)	50 feet or more, but less than 100 feet	(10 points) 0	100 feet or more	(0 points)
Less than 50 feet	(20 points)						
50 feet or more, but less than 100 feet	(10 points) 0						
100 feet or more	(0 points)						
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	<table border="1"><tr><td>Yes</td><td>(20 points)</td></tr><tr><td>No</td><td>(0 points) 0</td></tr></table>	Yes	(20 points)	No	(0 points) 0		
Yes	(20 points)						
No	(0 points) 0						
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	<table border="1"><tr><td>Less than 200 feet</td><td>(20 points)</td></tr><tr><td>200 feet or more, but less than 1000 feet</td><td>(10 points) 0</td></tr><tr><td>1000 feet or more</td><td>(0 points)</td></tr></table>	Less than 200 feet	(20 points)	200 feet or more, but less than 1000 feet	(10 points) 0	1000 feet or more	(0 points)
Less than 200 feet	(20 points)						
200 feet or more, but less than 1000 feet	(10 points) 0						
1000 feet or more	(0 points)						
Ranking Score (Total Points) 0							

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: onsite ☒ offsite ☐ If offsite, name of facility . (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☒.

Date: 05/10/04

Printed Name Title Jeff Blagg - P.E. # 11607 Signature Jeff Blagg

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Date: AUG 10 2007

Printed Name/Title Deputy Oil & Gas Inspector, District #3 Signature Bob Hall

3004521152

36.7134 107.71108

CLIENT: <u>BP</u>	BLAGG ENGINEERING, INC. P.O. BOX 87, BLOOMFIELD, NM 87413 (505) 632-1199	LOCATION NO: <u>B1378</u> COCR NO: <u>12114</u>
-------------------	---	--

FIELD REPORT: PIT CLOSURE VERIFICATION		PAGE No: <u>1</u> of <u>1</u>
---	--	-------------------------------

LOCATION: NAME: <u>HUGHES LS</u> WELL #: <u>17</u> TYPE: <u>SEP</u> QUAD/UNIT: <u>H</u> SEC: <u>19</u> TWP: <u>29N</u> RNG: <u>8W</u> PM: <u>NM</u> CNTY: <u>SJ</u> ST: <u>NM</u> QTR/FOOTAGE: <u>1640'S/990'E</u> SELF CONTRACTOR: <u>HD (JOAQUIN)</u>	DATE STARTED: <u>5-7-04</u> DATE FINISHED: <u>5-7-04</u> ENVIRONMENTAL SPECIALIST: <u>JCB</u>
---	---

EXCAVATION APPROX. <u>15</u> FT. x <u>15</u> FT. x <u>7</u> FT. DEEP. CUBIC YARDAGE: <u>35</u>
DISPOSAL FACILITY: <u>ONSITE</u> REMEDIATION METHOD: <u>LF</u>
LAND USE: <u>RANGE - BLM</u> LEASE: <u>SF 078046</u> FORMATION: <u>PC</u>

FIELD NOTES & REMARKS:	PIT LOCATED APPROXIMATELY <u>21</u> FT. <u>N5°E</u> FROM WELLHEAD. DEPTH TO GROUNDWATER: <u>>100</u> NEAREST WATER SOURCE: <u>>1000</u> NEAREST SURFACE WATER: <u>>1000</u> NMOC D RANKING SCORE: <u>0</u> NMOC D TPH CLOSURE STD: <u>5000</u> PPM
------------------------	---

SOIL AND EXCAVATION DESCRIPTION:	OVM CALIB. READ. = <u>53.2</u> ppm OVM CALIB. GAS = <u>100</u> ppm RF = 0.52 TIME: <u>0935</u> am/pm DATE <u>5-7-04</u>
----------------------------------	---

SOIL TYPE: SAND / SILTY SAND / SILT <u>(SILTY CLAY)</u> / CLAY / GRAVEL / OTHER <u>BEDROCK SHALESTONE @ 7' BG</u> SOIL COLOR: <u>BLUE / GRAY</u> COHESION (ALL OTHERS): NON COHESIVE / <u>(SLIGHTLY COHESIVE)</u> / COHESIVE / HIGHLY COHESIVE CONSISTENCY (NON COHESIVE SOILS): LOOSE / <u>(FIRM)</u> / DENSE / VERY DENSE PLASTICITY (CLAYS): NON PLASTIC / <u>(SLIGHTLY PLASTIC)</u> / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC DENSITY (COHESIVE CLAYS & SILTS): SOFT / <u>(FIRM)</u> / STIFF / VERY STIFF / HARD MOISTURE: DRY / <u>(SLIGHTLY MOIST)</u> / MOIST / WET / SATURATED / SUPER SATURATED DISCOLORATION/STAINING OBSERVED: <u>(YES)</u> / NO EXPLANATION - <u>GRAY STREAKING</u> HC ODOR DETECTED: <u>(YES)</u> / NO EXPLANATION - <u>STRONG</u> SAMPLE TYPE: GRAB / COMPOSITE - # OF PTS. <u>1</u> ADDITIONAL COMMENTS: <u>15' X 15' X 3' DEEP EARTHEN PIT. USE BACKHOE TO EXCAVATE TO BEDROCK SHALESTONE @ 7' BG. SET 45 BBL STEEL AST IN HOLE.</u> BEDROCK Bottom	CLOSED
--	--

FIELD 418.1 CALCULATIONS							
SAMP. TIME	SAMP. ID	LAB NO.	WEIGHT (g)	mL FREON	DILUTION	READING	CALC. (ppm)

SCALE

0 15 FT

N

PIT PERIMETER

OVM READING

SAMPLE ID	FIELD HEADSPACE (ppm)
1 @ 1'	423
2 @	
3 @	
4 @	
5 @	

LAB SAMPLES

SAMPLE ID	ANALYSIS	TIME
(1) 17'	TPH	0931
	BTEX	
	CHLORIDE	

ALL PASSED

PIT PROFILE

P.D. = PIT DEPRESSION; B.G. = BELOW GRADE; B = BELOW	T.H. = TEST HOLE; ~ = APPROX.; T.B. = TANK BOTTOM	TRAVEL NOTES:	CALLOUT: <u>5-7-04 0710</u> ONSITE: <u>5-7-04 0900</u>	
--	---	---------------	--	--

ENVIROTECH LABS

PRAGTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	05-10-04
Laboratory Number:	28588	Date Sampled:	05-07-04
Chain of Custody No:	12114	Date Received:	05-07-04
Sample Matrix:	Soil	Date Extracted:	05-07-04
Preservative:	Cool	Date Analyzed:	05-10-04
Condition:	Cool and Intact	Analysis Requested:	8015 TPH


Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	153	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	153	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes LS 17 Separator Pit.**


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	05-10-04
Laboratory Number:	28588	Date Sampled:	05-07-04
Chain of Custody:	12114	Date Received:	05-07-04
Sample Matrix:	Soil	Date Analyzed:	05-10-04
Preservative:	Cool	Date Extracted:	05-07-04
Condition:	Cool & Intact	Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
Benzene	311	1.8
Toluene	1,270	1.7
Ethylbenzene	112	1.5
p,m-Xylene	956	2.2
o-Xylene	384	1.0
Total BTEX	3,030	


ND - Parameter not detected at the stated detection limit.


Surrogate Recoveries:	Parameter	Percent Recovery
	Fluorobenzene	96 %
	1,4-difluorobenzene	96 %
	Bromochlorobenzene	96 %

References: Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Method 8021B, Aromatic Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: Hughes LS 17 Separator Pit.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

Total Chloride

Client:	Blagg / BP	Project #:	94034-010
Sample ID:	1 @ 7'	Date Reported:	05-07-04
Lab ID#:	28588	Date Sampled:	05-07-04
Sample Matrix:	Soil	Date Received:	05-07-04
Preservative:	Cool	Date Analyzed:	05-07-04
Condition:	Cool and Intact	Chain of Custody:	12114


Parameter	Concentration (mg/Kg)
-----------	-----------------------


Total Chloride

14.0

Reference: Standard Methods For The Examination of Water And Waste Water", 18th ed., 1992.

Comments: Hughes LS 17 Separator Pit.


Analyst


Review

CLIENT: BPBLAGG ENGINEERING, INC.
P.O. BOX 87, BLOOMFIELD, NM 87413
(505) 632-1199LOCATION NO: 81378C.O.C. NO 14631

FIELD REPORT: LANDFARM/COMPOST PILE CLOSURE VERIFICATION

LOCATION: NAME: HUGHES LS WELL #: 17 PITS: SEP.DATE STARTED: 5/18/06

DATE FINISHED: _____

QUAD/UNIT: H SEC: 19 TWP: 29N RNG: 8W PM: NM CNTY: SJ ST: NM

QTR/FOOTAGE: _____ SE/NE CONTRACTOR: _____

ENVIRONMENTAL
SPECIALIST: NV

SOIL REMEDIATION:

35

REMEDICATION SYSTEM: LANDFARM

APPROX. CUBIC YARDAGE: _____

LAND USE: RANGE - BLMLIFT DEPTH (ft): 0.5 - 1

FIELD NOTES & REMARKS:


DEPTH TO GROUNDWATER: >100' NEAREST SURFACE WATER: >1,000'NEAREST WATER SOURCE: >1,000' NMOCD RANKING SCORE: 0 NMOCD TPH CLOSURE STD: 5,000 PPMSOIL TYPE: (SAND) (SILTY SAND) SILT / SILTY CLAY / CLAY / GRAVEL / OTHER BEDROCK FRAGMENTSSOIL COLOR: PALE YELL. BROWNCOHESION (ALL OTHERS): (NON COHESIVE) SLIGHTLY COHESIVE / COHESIVE / HIGHLY COHESIVECONSISTENCY (NON COHESIVE SOILS): LOOSE / (FIRM) / DENSE / VERY DENSE~~PLASTICITY (CLAYS):~~ NON PLASTIC / SLIGHTLY PLASTIC / COHESIVE / MEDIUM PLASTIC / HIGHLY PLASTIC

DENSITY (COHESIVE CLAYS & SILTS): SOFT / FIRM / STIFF / VERY STIFF / HARD

MOISTURE: DRY / (SLIGHTLY MOIST) / MOIST / WET / SATURATED / SUPER SATURATEDCLOSEDDISCOLORATION/STAINING OBSERVED: YES / (NO) EXPLANATION - _____HC ODOR DETECTED: YES / (NO) EXPLANATION - _____SAMPLING DEPTHS (LANDFARMS): 4-8 (INCHES)SAMPLE TYPE: GRAB / (COMPOSITE) # OF PTS. 5

ADDITIONAL COMMENTS: _____

SKETCH/SAMPLE LOCATIONS

OVM CALIB. READ = 53.1 ppm
OVM CALIB. GAS = 100 ppm RF = 0.52
TIME: 10:25 am/pm DATE: 5/18/06

OVM RESULTS

LAB SAMPLES

SAMPLE ID	FIELD HEADSPACE (ppm)
LF-1	0.0

SAMPLE ID	ANALYSIS	TIME	RESULTS
LF-1	TPH (20/58)	1300	ND

P.C. - 5/17/04

SCALE



0 FT

TRAVEL NOTES: CALLOUT: N/AONSITE: 5/18/06

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons


Client:	Blagg / BP	Project #:	94034-010
Sample ID:	Hughes LS #17	Date Reported:	05-19-06
Laboratory Number:	37164	Date Sampled:	05-18-06
Chain of Custody No:	14631	Date Received:	05-18-06
Sample Matrix:	Soil	Date Extracted:	05-19-06
Preservative:	Cool	Date Analyzed:	05-19-06
Condition:	Cool and Intact	Analysis Requested:	8015 TPH

Parameter	Concentration (mg/Kg)	Det. Limit (mg/Kg)
Gasoline Range (C5 - C10)	ND	0.2
Diesel Range (C10 - C28)	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: **Hughes Lease Landfarm 5 Pt. Composite Sample.**


Analyst


Review

12114

san juan reproduction 578-129

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified Nonhalogenated Volatile Organics Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	05-10-TPH QA/QC	Date Reported:	05-10-04
Laboratory Number:	28588	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-10-04
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept. Range
Gasoline Range C5 - C10	02-19-04	1.8591E-002	1.8572E-002	0.10%	0 - 15%
Diesel Range C10 - C28	02-19-04	1.5507E-002	1.5492E-002	0.10%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept. Range
Gasoline Range C5 - C10	153	152	0.4%	0 - 30%
Diesel Range C10 - C28	ND	ND	0.0%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept. Range
Gasoline Range C5 - C10	153	250	402	99.8%	75 - 125%
Diesel Range C10 - C28	ND	250	250	100.0%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for samples 28588 - 28592.


Analyst


Review

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA METHOD 8021 AROMATIC VOLATILE ORGANICS

Client:	N/A	Project #:	N/A
Sample ID:	05-10-BTEX QA/QC	Date Reported:	05-10-04
Laboratory Number:	28588	Date Sampled:	N/A
Sample Matrix:	Soil	Date Received:	N/A
Preservative	N/A	Date Analyzed:	05-10-04
Condition:	N/A	Analysis:	BTEX

Calibration and Detection Limits (ug/L)	I-Cal RF:	C-Cal RF:	%Diff. Accept. Range 0 - 15%	Blank Conc	Detect Limit
Benzene	4.2776E-002	4.2905E-002	0.3%	ND	0.2
Toluene	4.8966E-002	4.9064E-002	0.2%	ND	0.2
Ethylbenzene	7.4036E-002	7.4259E-002	0.3%	ND	0.2
p,m-Xylene	6.8275E-002	6.8480E-002	0.3%	ND	0.2
o-Xylene	5.5866E-002	5.5978E-002	0.2%	ND	0.1


Duplicate Conc. (ug/Kg)	Sample	Duplicate	%Diff.	Accept Range	Detect Limit
Benzene	311	312	0.5%	0 - 30%	1.8
Toluene	1,270	1,240	2.4%	0 - 30%	1.7
Ethylbenzene	112	110	2.1%	0 - 30%	1.5
p,m-Xylene	956	961	0.5%	0 - 30%	2.2
o-Xylene	384	386	0.5%	0 - 30%	1.0


Spike Conc. (ug/Kg)	Sample	Amount Spiked	Spiked Sample	% Recovery	Accept Range
Benzene	311	50.0	360	99.8%	39 - 150
Toluene	1,270	50.0	1,310	99.2%	46 - 148
Ethylbenzene	112	50.0	161	99.3%	32 - 160
p,m-Xylene	956	100	1,050	99.5%	46 - 148
o-Xylene	384	50.0	433	99.8%	46 - 148

ND - Parameter not detected at the stated detection limit.

References Method 5030B, Purge-and-Trap, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996
Method 8021B, Aromatic and Halogenated Volatiles by Gas Chromatography Using Photoionization and/or Electrolytic Conductivity Detectors, SW-846, USEPA December 1996.

Comments: QA/QC for samples 28588, 28590 - 28592.


Analyst


Review

CHAIN OF CUSTODY RECORD

14631

Client / Project Name BLAGG/BP			Project Location HUGHES LEASE		ANALYSIS / PARAMETERS							
Sampler: NV			Client No. 94034-010		No. of Containers TPH (8058)							Remarks
Sample No./ Identification	Sample Date	Sample Time	Lab Number	Sample Matrix								PRESERVED COOL
												5 FT. COMPOSITE SAMPLES
HUGHES 8 #4A	5/18/06	1100	37162	SOIL	1	✓						LANDFARM
HUGHES #5	5/18/06	1200	37163	SOIL	1	✓						LANDFARM
HUGHES LS #17	5/18/06	1300	37164	SOIL	1	✓						LANDFARM
HUGHES #7E	5/18/06	1345	37165	SOIL	1	✓						LANDFARM
				SOIL	1	✓						LANDFARM
Relinquished by: (Signature) [Signature]			Date 5/18/06	Time 1503	Received by: (Signature) [Signature]						Date 5/18/06	Time 1503
Relinquished by: (Signature)					Received by: (Signature)							
Relinquished by: (Signature)					Received by: (Signature)							

ENVIROTECH INC.

 5796 U.S. Highway 64
 Farmington, New Mexico 87401
 (505) 632-0615

Sample Receipt

	Y	N	N/A
Received Intact			
Cool - Ice/Blue Ice			

ENVIROTECH LABS

PRACTICAL SOLUTIONS FOR A BETTER TOMORROW

EPA Method 8015 Modified
Nonhalogenated Volatile Organics
Total Petroleum Hydrocarbons

Quality Assurance Report

Client:	QA/QC	Project #:	N/A
Sample ID:	05-19-06 QA/QC	Date Reported:	05-19-06
Laboratory Number:	37160	Date Sampled:	N/A
Sample Matrix:	Methylene Chloride	Date Received:	N/A
Preservative:	N/A	Date Analyzed:	05-19-06
Condition:	N/A	Analysis Requested:	TPH

	I-Cal Date	I-Cal RF	C-Cal RF	% Difference	Accept Range
Gasoline Range C5 - C10	02-04-05	2.6823E+003	2.6849E+003	0.10%	0 - 15%
Diesel Range C10 - C28	02-04-05	2.9902E+003	2.9962E+003	0.20%	0 - 15%

Blank Conc. (mg/L - mg/Kg)	Concentration	Detection Limit
Gasoline Range C5 - C10	ND	0.2
Diesel Range C10 - C28	ND	0.1
Total Petroleum Hydrocarbons	ND	0.2


Duplicate Conc. (mg/Kg)	Sample	Duplicate	% Difference	Accept Range
Gasoline Range C5 - C10	0.3	0.3	0.0%	0 - 30%
Diesel Range C10 - C28	352	350	0.6%	0 - 30%


Spike Conc. (mg/Kg)	Sample	Spike Added	Spike Result	% Recovery	Accept Range
Gasoline Range C5 - C10	0.3	250	250	100.0%	75 - 125%
Diesel Range C10 - C28	352	250	601	99.8%	75 - 125%

ND - Parameter not detected at the stated detection limit.

References: Method 8015B, Nonhalogenated Volatile Organics, Test Methods for Evaluating Solid Waste, SW-846, USEPA, December 1996.

Comments: QA/QC for Samples 37160, 37162 - 37166.


Analyst


Review